

## 2014 WERS Certified Products Directory - AFRC

## NOTES

- These results are not for public reference can only be used by financial WERS members only.
- The use of these results requires manufacture validation through the AWA Accreditation Scheme.
- Uw is the whole window U-value
- SHGCw is the whole window solar heat gain coefficient
- Twv is the whole window visible (light) transmittance
- Percentage improvement figures are compared with using base-case Generic Window 1 (3mm clear in standard aluminium frame)
- A negative percentage improvement figure indicates performance worse than the base-case window
- A positive percentage improvement figure indicates performance better than the base-case window
- Maximum air infiltration is 5.0L/s.m2 at a positive pressure difference of 75 Pa as measured according to AS 2047
- Static performance (Uw SHGCw Twv Tdw) calculated using Window 7.4 and Therm 7.4 software (LBNL), 1999-2016
- Annual energy performance (stars and % improvements) calculated using Nationwide House Energy Rating Software (AccuRate) according to procedures of WERS 2008.
- Results disclosed at Australian Fenestration Rating Council (AFRC) regulations.
- Products performance is based on products excluding reveals unless "with In-Line Reveal" is included in the product description.
- Results marked as "with In-Line Reveal" can only be (claimed/used/certified/used for marketing and compliance) when designed, tested, sold, installed and warranted with the reveal in situ. Products that do not include the reveal must revert to the performance excluding the in-line reveal. Please contact the window manufacturer or WERS for further details.



Aneeta Window Systems						Cool %	Heat %	Total Window - AFRC			
Updated 19-Jan-16								Uw	SHGC	Twv	Air Inf
Window ID	Glazing	Cooling Stars	Heating Stars								
<b>Aluminium Sashless Double Hung Window - Single Glazed</b>											
ANE-001-01	6Clr	★ ☆	★ ★ ☆	24%	17%	6.0	0.63	0.66	2.23		
ANE-001-02	6Gy	★ ★ ☆	★ ★	39%	8%	6.0	0.45	0.31	2.23		
ANE-001-03	638ClrLam	★ ☆	★ ★ ☆	25%	18%	6.0	0.62	0.67	2.23		
ANE-001-04	6SnClr	★ ★ ☆	★ ★ ★	44%	25%	4.8	0.46	0.51	2.23		
ANE-001-05	6ET	★ ★ ☆	★ ★ ★ ☆	40%	34%	4.4	0.54	0.61	2.23		
ANE-001-06	638CPNtl	★ ★ ★	★ ★ ★	50%	26%	4.4	0.40	0.44	2.23		
ANE-001-07	6SolTechGy	★ ★ ★ ★	★ ★ ☆	57%	19%	4.4	0.29	0.22	2.23		
ANE-001-08	6PIG	★ ★ ☆	★ ★ ★ ☆	40%	33%	4.5	0.54	0.60	2.23		
ANE-001-09	6.38GyLam	★ ★	★ ★	37%	12%	5.9	0.49	0.33	2.23		
ANE-001-10	6ETGy	★ ★ ★ ☆	★ ★ ★	52%	24%	4.4	0.37	0.30	2.23		
ANE-001-11	6.38GrnLam	★ ☆	★ ★ ☆	31%	14%	6.0	0.56	0.53	2.23		
<b>Aluminium Sashless Double Hung Window - Double Glazed</b>											
ANE-002-01	4/8/4	★ ★	★ ★ ★ ★	35%	37%	4.2	0.60	0.62	3.77		
ANE-002-02	4/8Ar/4ET	★ ★ ☆	★ ★ ★ ☆	42%	44%	3.5	0.56	0.58	3.77		
ANE-002-03	4SpGn/8Ar/4ET	★ ★ ★ ★	★ ★ ★ ☆	58%	32%	3.5	0.35	0.48	3.77		
ANE-002-04	6.38CPNtl/6/4	★ ★ ★ ☆	★ ★ ★ ☆	54%	29%	3.9	0.37	0.41	3.77		
ANE-002-05	4SnClr/8/4Clr	★ ★ ★ ☆	★ ★ ★ ☆	50%	33%	3.9	0.43	0.48	3.77		
ANE-002-06	4Clr/8/4ET	★ ★ ☆	★ ★ ★ ★	41%	41%	3.7	0.56	0.58	3.77		
ANE-002-07	4Clr/8/4PIG	★ ★ ☆	★ ★ ★ ★	41%	41%	3.8	0.56	0.57	3.77		
ANE-002-08	4Gy/8/4Clr	★ ★ ★	★ ★ ★ ☆	47%	30%	4.2	0.45	0.38	3.77		
ANE-002-09	4Gy/8/4PIG	★ ★ ★ ☆	★ ★ ★ ☆	52%	33%	3.8	0.41	0.36	3.77		
ANE-002-10	6SolT/6/4Clr	★ ★ ★ ☆	★ ★ ★ ☆	53%	29%	3.9	0.38	0.44	3.77		
ANE-002-11	6SolT/6/4ET	★ ★ ★ ☆	★ ★ ★ ☆	55%	29%	3.9	0.37	0.41	3.77		
ANE-002-12	LB Clr SO 5/6/5	★ ★ ★	★ ★ ★ ★	50%	39%	3.5	0.46	0.60	3.77		
ANE-002-13	LB Clr SO 4/8/4	★ ★ ★ ☆	★ ★ ★ ★	51%	41%	3.3	0.46	0.61	3.77		
ANE-002-14	LB Gy SO 4/8/4	★ ★ ★ ★	★ ★ ★ ☆	60%	34%	3.3	0.33	0.38	3.77		
<b>Timber Sashless Double Hung Window - Single Glazed</b>											
ANE-003-01	6Clr	★ ☆	★ ★ ★ ☆	26%	30%	5.0	0.66	0.70	4.52		
ANE-003-02	6Gy	★ ★ ☆	★ ★ ☆	42%	20%	5.0	0.46	0.33	4.52		
ANE-003-03	638ClrLam	★ ☆	★ ★ ★ ☆	27%	30%	4.9	0.65	0.71	4.52		
ANE-003-04	6SnClr	★ ★ ★	★ ★ ★ ★	48%	37%	3.7	0.48	0.54	4.52		
ANE-003-05	6ET	★ ★ ☆	★ ★ ★ ☆	43%	46%	3.3	0.56	0.65	4.52		
ANE-003-06	638CPNtl	★ ★ ★ ☆	★ ★ ★ ★	54%	38%	3.3	0.41	0.47	4.52		
ANE-003-07	6SolTechGy	★ ★ ★ ★ ☆	★ ★ ★ ☆	62%	30%	3.3	0.29	0.24	4.52		

ANE-003-08	<a href="#">6ETGy</a>	★★★★	★★★★★	56%	35%	3.3	0.38	0.32	4.52
ANE-003-09	<a href="#">6PIG</a>	★★★☆☆	★★★★★☆☆	43%	45%	3.3	0.56	0.64	4.52
ANE-003-10	<a href="#">6.38GyLam</a>	★★★☆☆	★★★★	40%	23%	4.9	0.50	0.36	4.52
ANE-003-11	<a href="#">6.38GrnLam</a>	★★	★★★	34%	26%	5.0	0.58	0.57	4.52
<b>Timber Sashless Double Hung Window - Double Glazed</b>									
ANE-004-01	<a href="#">4-8-4</a>	★★★☆☆	★★★★★	39%	51%	3.1	0.62	0.65	3.22
ANE-004-02	<a href="#">4-8Ar-4ET</a>	★★★★	★★★★★☆☆	46%	58%	2.4	0.58	0.61	3.22
ANE-004-03	<a href="#">4SpGn-8Ar-4ET</a>	★★★★★☆☆	★★★★★☆☆	63%	46%	2.3	0.35	0.50	3.22
ANE-004-04	<a href="#">638CPNtl-6-4</a>	★★★★	★★★★★☆☆	59%	42%	2.8	0.38	0.43	3.22
ANE-004-05	<a href="#">4SnClr-8-4</a>	★★★★☆☆	★★★★★☆☆	55%	46%	2.8	0.44	0.50	3.22
ANE-004-06	<a href="#">4-8-4ET</a>	★★★☆☆	★★★★★☆☆	44%	56%	2.6	0.60	0.63	3.22
ANE-004-07	<a href="#">4Clr-8-4PIG</a>	★★★★	★★★★★☆☆	45%	55%	2.6	0.58	0.60	3.22
ANE-004-08	<a href="#">4Gy-8-4Clr</a>	★★★★☆☆	★★★★★☆☆	52%	43%	3.1	0.46	0.41	3.22
ANE-004-09	<a href="#">4Gy-8-4PIG</a>	★★★★	★★★★★☆☆	57%	47%	2.6	0.42	0.37	3.22
ANE-004-10	<a href="#">6SolI-6-4Clr</a>	★★★★	★★★★★☆☆	58%	43%	2.8	0.39	0.46	3.22
ANE-004-11	<a href="#">6ST-6-4ET</a>	★★★★	★★★★★☆☆	60%	43%	2.8	0.37	0.43	3.22
ANE-004-12	<a href="#">LB Clr S0 5/6/5</a>	★★★★☆☆	★★★★★	55%	52%	2.4	0.47	0.64	3.22
ANE-004-13	<a href="#">LB Clr S0 4/8/4</a>	★★★★	★★★★★☆☆	55%	55%	2.2	0.48	0.64	3.22
ANE-004-14	<a href="#">LB Gy S0 4/8/4</a>	★★★★★☆☆	★★★★★☆☆	65%	47%	2.2	0.34	0.40	3.22
<b>HS 2P6 SS A - Aluminium Sashless Horizontal Slider - Single Glazed</b>									
ANE-005-01	<a href="#">6Clr</a>	★★☆☆	★★★☆☆	25%	16%	6.2	0.62	0.64	0.90
ANE-005-02	<a href="#">6ClrLam</a>	★★☆☆	★★★☆☆	26%	16%	6.1	0.61	0.65	0.90
ANE-005-03	<a href="#">6Gy</a>	★★★☆☆	★★	39%	7%	6.2	0.44	0.30	0.90
ANE-005-04	<a href="#">6Gn</a>	★★	★★	37%	8%	6.2	0.47	0.56	0.90
ANE-005-05	<a href="#">6SpGn</a>	★★★☆☆	★★☆☆	42%	5%	6.2	0.40	0.48	0.90
ANE-005-06	<a href="#">6ET</a>	★★★☆☆	★★★★☆☆	40%	32%	4.6	0.53	0.59	0.90
ANE-005-07	<a href="#">6ETGn</a>	★★★★☆☆	★★★★	51%	24%	4.6	0.38	0.52	0.90
ANE-005-08	<a href="#">6ETSpGn</a>	★★★★☆☆	★★★☆☆	55%	20%	4.6	0.31	0.44	0.90
ANE-005-09	<a href="#">6SolTech</a>	★★★★	★★★★	49%	26%	4.6	0.41	0.46	0.90
ANE-005-10	<a href="#">6SolTechGy</a>	★★★★	★★★☆☆	57%	18%	4.6	0.28	0.22	0.90
ANE-005-11	<a href="#">6Sn</a>	★★★☆☆	★★★★	44%	24%	4.9	0.45	0.49	0.90
ANE-005-12	<a href="#">6.38CPClr</a>	★★★☆☆	★★★★☆☆	41%	32%	4.6	0.52	0.60	0.90
ANE-005-13	<a href="#">6.38CPGy</a>	★★★★☆☆	★★★★	51%	25%	4.6	0.38	0.28	0.90
ANE-005-14	<a href="#">6.38CPGn</a>	★★★★☆☆	★★★★	50%	25%	4.6	0.39	0.52	0.90
ANE-005-15	<a href="#">6.38CPNtl</a>	★★★★	★★★★	50%	25%	4.6	0.39	0.43	0.90
ANE-005-16	<a href="#">6PIG</a>	★★★☆☆	★★★★☆☆	40%	32%	4.6	0.53	0.59	0.90
ANE-005-17	<a href="#">6.38GyLam</a>	★★	★★	37%	11%	6.0	0.48	0.33	0.90
ANE-005-18	<a href="#">6ETGy</a>	★★★★☆☆	★★★★	52%	23%	4.6	0.36	0.29	0.90
ANE-005-19	<a href="#">6.38Grn</a>	★★	★★	31%	14%	6.0	0.54	0.52	0.90
<b>HS 2P10 SS A - Aluminium Sashless Horizontal Slider - Single Glazed</b>									
ANE-006-01	<a href="#">10Clr</a>	★★☆☆	★★★☆☆	30%	15%	6.1	0.56	0.62	0.30
ANE-006-02	<a href="#">10.38CPClr</a>	★★★☆☆	★★★★☆☆	43%	31%	4.6	0.49	0.58	0.30
ANE-006-03	<a href="#">10.38Clr</a>	★★☆☆	★★★☆☆	30%	15%	6.0	0.56	0.63	0.30
ANE-006-04	<a href="#">10.38Gy</a>	★★★☆☆	★★	39%	10%	6.0	0.44	0.30	0.30
ANE-006-05	<a href="#">10Gy</a>	★★★☆☆	★★☆☆	44%	5%	6.1	0.36	0.20	0.30
ANE-006-06	<a href="#">10ET</a>	★★★☆☆	★★★★☆☆	42%	31%	4.6	0.50	0.58	0.30
ANE-006-07	<a href="#">10.38CPNtl</a>	★★★★☆☆	★★★★	50%	25%	4.6	0.38	0.45	0.30
ANE-006-08	<a href="#">10.38CPGy</a>	★★★★☆☆	★★★★	52%	24%	4.6	0.36	0.28	0.30
<b>HS 2P22 SS A - Aluminium Sashless Horizontal Slider - Double Glazed</b>									
ANE-007-01	<a href="#">4/14/4</a>	★★★☆☆	★★★★★☆☆	38%	43%	4.0	0.59	0.61	0.60
ANE-007-02	<a href="#">4/14Ar/4ET</a>	★★★★	★★★★★	44%	49%	3.2	0.55	0.56	0.60
ANE-007-03	<a href="#">4Gy/14Ar/4ET</a>	★★★★	★★★★	56%	41%	3.2	0.39	0.35	0.60

ANE-007-04	<a href="#">4Gn/14Ar/4EI</a>	★★★★☆	★★★★★☆	55%	42%	3.2	0.41	0.52	0.60
ANE-007-05	<a href="#">4SpGn/14Ar/4EI</a>	★★★★☆	★★★★★	60%	38%	3.2	0.33	0.47	0.60
ANE-007-06	<a href="#">4Sn/14Ar/4</a>	★★★★☆	★★★★★	54%	40%	3.4	0.41	0.47	0.60
ANE-007-07	<a href="#">6.38CPClr/12Ar/4</a>	★★★★☆	★★★★★☆	51%	46%	3.2	0.47	0.56	0.60
ANE-007-08	<a href="#">6.38CPGy/12Ar/4</a>	★★★★☆	★★★★★	61%	38%	3.2	0.33	0.27	0.60
ANE-007-09	<a href="#">6.38CPGn/12Ar/4</a>	★★★★★	★★★★★	60%	38%	3.2	0.34	0.49	0.60
ANE-007-10	<a href="#">6.38CPNtl/12Ar/4</a>	★★★★★	★★★★★	60%	39%	3.2	0.34	0.40	0.60
ANE-007-11	<a href="#">4/12Ar/6SB70XL</a>	★★★★☆	★★★★★	63%	38%	3.0	0.30	0.49	0.60
ANE-007-12	<a href="#">6SB70XL/12Ar/4EI</a>	★★★★☆	★★★★★☆	70%	35%	2.8	0.21	0.45	0.60
<b>HSTB 2P22 SS ATB - Thermally Broken Aluminium Sashless Horizontal Slider - Double Glazed</b>									
ANE-008-01	<a href="#">4/14/4</a>	★★★	★★★★★	45%	48%	3.3	0.54	0.56	0.60
ANE-008-02	<a href="#">4/14Ar/4EI</a>	★★★★☆	★★★★★☆	51%	54%	2.6	0.51	0.52	0.60
ANE-008-03	<a href="#">4Gy/14Ar/4EI</a>	★★★★☆	★★★★★☆	61%	46%	2.6	0.36	0.32	0.60
ANE-008-04	<a href="#">4Gn/14Ar/4EI</a>	★★★★☆	★★★★★☆	60%	47%	2.6	0.38	0.48	0.60
ANE-008-05	<a href="#">4SpGn/14Ar/4EI</a>	★★★★★	★★★★★☆	65%	43%	2.6	0.30	0.43	0.60
ANE-008-06	<a href="#">4Sn/14Ar/4</a>	★★★★★	★★★★★☆	59%	46%	2.8	0.38	0.43	0.60
ANE-008-07	<a href="#">6.38CPClr/12Ar/4</a>	★★★★★	★★★★★	56%	51%	2.6	0.44	0.52	0.60
ANE-008-08	<a href="#">6.38CPGy/12Ar/4</a>	★★★★★	★★★★★☆	65%	43%	2.6	0.30	0.25	0.60
ANE-008-09	<a href="#">6.38CPGn/12Ar/4</a>	★★★★★	★★★★★☆	65%	44%	2.6	0.31	0.45	0.60
ANE-008-10	<a href="#">6.38CPNtl/12Ar/4</a>	★★★★☆	★★★★★☆	64%	44%	2.6	0.32	0.37	0.60
ANE-008-11	<a href="#">4/12Ar/6SB70XL</a>	★★★★★	★★★★★☆	68%	43%	2.4	0.28	0.45	0.60
ANE-008-12	<a href="#">6SB70XL/12Ar/4EI</a>	★★★★★	★★★★★	74%	40%	2.2	0.20	0.42	0.60
<b>HS 2P6 SS T - Timber Sashless Horizontal Slider - Single Glazed</b>									
ANE-009-01	<a href="#">6Clr</a>	★☆☆	★★★★☆	29%	29%	5.2	0.63	0.66	0.90
ANE-009-02	<a href="#">6.38ClrLam</a>	★☆☆	★★★★☆	30%	30%	5.1	0.62	0.67	0.90
ANE-009-03	<a href="#">6Gy</a>	★★☆☆	★★★☆☆	43%	20%	5.2	0.44	0.31	0.90
ANE-009-04	<a href="#">6Gn</a>	★★☆☆	★★★☆☆	41%	22%	5.2	0.47	0.58	0.90
ANE-009-05	<a href="#">6SpGn</a>	★★★	★★★☆☆	46%	18%	5.2	0.40	0.49	0.90
ANE-009-06	<a href="#">6EI</a>	★★★	★★★★★☆	44%	44%	3.6	0.53	0.61	0.90
ANE-009-07	<a href="#">6ETGy</a>	★★★★	★★★★★	57%	35%	3.6	0.36	0.30	0.90
ANE-009-08	<a href="#">6ETGn</a>	★★★★	★★★★★	55%	36%	3.6	0.38	0.53	0.90
ANE-009-09	<a href="#">6ETSpGn</a>	★★★★	★★★★☆	60%	32%	3.6	0.31	0.46	0.90
ANE-009-10	<a href="#">6SolTech</a>	★★★★☆	★★★★★	53%	38%	3.6	0.41	0.48	0.90
ANE-009-11	<a href="#">6SolTechGy</a>	★★★★☆	★★★★★☆	62%	30%	3.6	0.28	0.22	0.90
ANE-009-12	<a href="#">6Sn</a>	★★★★	★★★★★	48%	36%	3.9	0.46	0.51	0.90
ANE-009-13	<a href="#">6.38CPClr</a>	★★★★	★★★★★☆	45%	44%	3.6	0.52	0.62	0.90
ANE-009-14	<a href="#">6.38CPGy</a>	★★★★☆	★★★★★	55%	37%	3.6	0.38	0.29	0.90
ANE-009-15	<a href="#">6.38CPGn</a>	★★★★☆	★★★★★	55%	37%	3.6	0.39	0.53	0.90
ANE-009-16	<a href="#">6.38CPNtl</a>	★★★★☆	★★★★★	54%	37%	3.6	0.40	0.44	0.90
ANE-009-17	<a href="#">6PIG</a>	★★☆☆	★★★★★☆	44%	44%	3.6	0.53	0.61	0.90
ANE-009-18	<a href="#">6.38Gy</a>	★★☆☆	★★★☆☆	44%	22%	5.1	0.44	0.31	0.90
<b>HS 2P10 SS T - Timber Sashless Horizontal Slider - Single Glazed</b>									
ANE-010-01	<a href="#">10Clr</a>	★★	★★★☆☆	34%	28%	5.1	0.57	0.64	0.30
ANE-010-02	<a href="#">10.38CPClr</a>	★★★	★★★★★☆	48%	43%	3.6	0.49	0.60	0.30
ANE-010-03	<a href="#">10.38Clr</a>	★★	★★★☆☆	34%	28%	5.1	0.57	0.64	0.30
ANE-010-04	<a href="#">10Gy</a>	★★★	★★★☆☆	49%	17%	5.1	0.37	0.21	0.30
ANE-010-05	<a href="#">10.38Gy</a>	★★☆☆	★★★☆☆	43%	22%	5.1	0.45	0.31	0.30
ANE-010-06	<a href="#">10EI</a>	★★★	★★★★★☆	47%	43%	3.6	0.50	0.59	0.30
ANE-010-07	<a href="#">10.38CPNtl</a>	★★★★☆	★★★★★	55%	37%	3.6	0.39	0.46	0.30
ANE-010-08	<a href="#">10.38CPGy</a>	★★★★	★★★★★	57%	36%	3.6	0.36	0.29	0.30
<b>HS 2P22 SS T - Timber Sashless Horizontal Slider - Double Glazed</b>									
ANE-011-01	<a href="#">4/14/4</a>	★★☆☆	★★★★★☆	41%	54%	3.1	0.60	0.63	0.60

ANE-011-02	<a href="#">4/14Ar/4ET</a>	★ ★ ★	★ ★ ★ ★ ★ ★ ★	48%	60%	2.3	0.56	0.59	0.60
ANE-011-03	<a href="#">4Gy/14Ar/4ET</a>	★ ★ ★ ★ ☆	★ ★ ★ ★ ★ ★ ★	60%	51%	2.3	0.40	0.36	0.60
ANE-011-04	<a href="#">4Gn/14Ar/4ET</a>	★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	59%	53%	2.3	0.42	0.54	0.60
ANE-011-05	<a href="#">4SpGn/14Ar/4ET</a>	★ ★ ★ ★ ☆	★ ★ ★ ★ ★ ★ ★	65%	48%	2.3	0.33	0.49	0.60
ANE-011-06	<a href="#">4Sn/14Ar/4</a>	★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	58%	51%	2.5	0.42	0.49	0.60
ANE-011-07	<a href="#">6.38CPClr/12Ar/4</a>	★ ★ ★ ☆	★ ★ ★ ★ ★ ★ ☆	54%	56%	2.3	0.48	0.58	0.60
ANE-011-08	<a href="#">6.38CPGy/12Ar/4</a>	★ ★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	65%	48%	2.3	0.33	0.28	0.60
ANE-011-09	<a href="#">6.38CPGn/12Ar/4</a>	★ ★ ★ ★ ☆	★ ★ ★ ★ ★ ★ ★	64%	49%	2.3	0.34	0.51	0.60
ANE-011-10	<a href="#">6.38CPNtl/12Ar/4</a>	★ ★ ★ ★ ☆	★ ★ ★ ★ ★ ★ ★	64%	49%	2.3	0.35	0.42	0.60
ANE-011-11	<a href="#">4/12Ar/6SB70XL</a>	★ ★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	68%	48%	2.1	0.30	0.51	0.60
ANE-011-12	<a href="#">6SB70XL/12Ar/4ET</a>	★ ★ ★ ★ ★ ★	★ ★ ★ ★ ★ ☆	75%	45%	1.9	0.21	0.47	0.60

**HSTB 2P22 SS T - Thermally Broken Timber Sashless Horizontal Slider - Double Glazed**

ANE-012-01	<a href="#">4/14/4</a>	★ ★ ☆	★ ★ ★ ★ ★ ☆	43%	55%	2.9	0.59	0.62	0.60
ANE-012-02	<a href="#">4/14Ar/4ET</a>	★ ★ ★	★ ★ ★ ★ ★ ★ ★	50%	62%	2.1	0.55	0.58	0.60
ANE-012-03	<a href="#">4Gy/14Ar/4ET</a>	★ ★ ★ ★ ☆	★ ★ ★ ★ ★ ★ ★	62%	53%	2.1	0.39	0.36	0.60
ANE-012-04	<a href="#">4Gn/14Ar/4ET</a>	★ ★ ★ ★ ☆	★ ★ ★ ★ ★ ☆	61%	54%	2.1	0.41	0.53	0.60
ANE-012-05	<a href="#">4SpGn/14Ar/4ET</a>	★ ★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	66%	49%	2.1	0.33	0.48	0.60
ANE-012-06	<a href="#">4Sn/14Ar/4</a>	★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	60%	52%	2.3	0.41	0.48	0.60
ANE-012-07	<a href="#">6.38CPClr/12Ar/4</a>	★ ★ ★ ★	★ ★ ★ ★ ★ ☆	56%	58%	2.1	0.47	0.57	0.60
ANE-012-08	<a href="#">6.38CPGy/12Ar/4</a>	★ ★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	66%	50%	2.1	0.33	0.27	0.60
ANE-012-09	<a href="#">6.38CPGn/12Ar/4</a>	★ ★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	66%	50%	2.1	0.33	0.50	0.60
ANE-012-10	<a href="#">6.38CPNtl/12Ar/4</a>	★ ★ ★ ★ ★	★ ★ ★ ★ ★ ★ ★	65%	50%	2.1	0.34	0.41	0.60
ANE-012-11	<a href="#">4/12Ar/6SB70XL</a>	★ ★ ★ ★ ★ ☆	★ ★ ★ ★ ★ ★ ★	69%	50%	1.9	0.30	0.50	0.60
ANE-012-12	<a href="#">6SB70XL/12Ar/4ET</a>	★ ★ ★ ★ ★ ★	★ ★ ★ ★ ☆	76%	46%	1.7	0.21	0.46	0.60

**Aluminium Double Hung Window 10mm - Single Glazed**

ANE-013-01	<a href="#">10Clr</a>	★ ☆	★ ★ ☆	29%	16%	6.0	0.57	0.64	0.90
ANE-013-02	<a href="#">10.38Clr</a>	★ ☆	★ ★ ☆	30%	16%	6.0	0.57	0.64	0.90
ANE-013-03	<a href="#">10Gy</a>	★ ★ ★	★ ☆	44%	5%	6.0	0.37	0.21	0.90
ANE-013-04	<a href="#">10.38Gy</a>	★ ★ ☆	★ ★	39%	10%	6.0	0.45	0.31	0.90
ANE-013-05	<a href="#">10ET</a>	★ ★ ☆	★ ★ ★ ☆	42%	32%	4.5	0.50	0.59	0.90
ANE-013-06	<a href="#">10.38CP Clr</a>	★ ★ ☆	★ ★ ★ ☆	43%	32%	4.4	0.49	0.59	0.90
ANE-013-07	<a href="#">10.38CP Ntl</a>	★ ★ ★ ☆	★ ★ ★	51%	26%	4.5	0.39	0.46	0.90
ANE-013-08	<a href="#">10.38CP Gy</a>	★ ★ ★ ☆	★ ★ ★	52%	25%	4.4	0.36	0.28	0.90