



2 pane 10mm horizontal slider 300 series in timber frames

vertical section A-A





BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
(A) FRAME AND JOINERY TIMBER	
F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
(B) HEAD COVER UPPER PILE	
F(DTS12.5-29)	PBF69900 brush seal
(C) OUTSIDE HEAD, CENTRE HEAD & HEAD COVER PILES	
F(DTS12.5-29)	PBF48525 brush seal
(D) GLAZING	
F(DTS12.5)	10mm Grade A Safety Glass (i.e Laminated or Toughened)
F(DTS19-29)	10mm Toughened Glass
(E) BOTTOM RAIL PILE	
F(DTS12.5-29)	PB69300 brush seal
(F) SILL BASE & SILL INSERT PILES	
F(DTS12.5-29)	PBF69375 brush seal
(G) SILL BASE FLAP SEALS	
F(DTS12.5-29)	3153 Santoprene flap seal

2 pane 10mm horizontal slider 300 series in timber frames horizontal section B-B

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
(A) FRAME AND JOINERY TIMBER	
F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
(H) JAMB FOAM	
F(DTS12.5-29)	FS473x18 foam seal



(I) JAMB PILES	
F(DTS12.5-29)	PBF48525 brush seal
(J) LAP SEAL	
F(DTS12.5-29)	PBF48625 brush seal



drawing: HSF(-) 2P10 SS T h
 revision: 0
 date: Mar 2013

BUSHFIRE

2 pane 10mm horizontal slider 300 series in timber frames vertical section A-A





BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
(A) FRAME AND JOINERY TIMBER	
F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
(B) HEAD COVER UPPER PILE	
F(DTS12.5-29)	PBF69900 brush seal
(C) OUTSIDE HEAD, CENTRE HEAD & HEAD COVER PILES	
F(DTS12.5-29)	PBF48525 brush seal
(D) GLAZING	
F(DTS12.5)	10mm Grade A Safety Glass (i.e Laminated or Toughened)
F(DTS19-29)	10mm Toughened Glass
(E) BOTTOM RAIL PILE	
F(DTS12.5-29)	PB69300 brush seal
(F) SILL BASE & SILL INSERT PILES	
F(DTS12.5-29)	PBF69375 brush seal
(G) SILL BASE FLAP SEALS	
F(DTS12.5-29)	3153 Santoprene flap seal

2 pane 10mm horizontal slider 300 series in timber frames

horizontal section B-B

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
(A) FRAME AND JOINERY TIMBER	
F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
(H) JAMB FOAM	
F(DTS12.5-29)	FS473x18 foam seal

(I) JAMB PILES	
F(DTS12.5-29)	PBF48525 brush seal
(J) LAP SEAL	
F(DTS12.5-29)	PBF48625 brush seal



drawing:
revision:
date:



HSF(-) 2P10 SS T h - timber cover option 1
0
Mar 2013

BUSHFIRE

aneeta

2 pane 10mm horizontal slider 300 series in timber frames

vertical section A-A





BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
(A) FRAME AND JOINERY TIMBER	
F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
(B) HEAD COVER UPPER PILE	
F(DTS12.5-29)	PBF69900 brush seal
(C) OUTSIDE HEAD, CENTRE HEAD & HEAD COVER PILES	
F(DTS12.5-29)	PBF48525 brush seal
(D) GLAZING	
F(DTS12.5)	10mm Grade A Safety Glass (i.e Laminated or Toughened)
F(DTS19-29)	10mm Toughened Glass
(E) BOTTOM RAIL PILE	
F(DTS12.5-29)	PB69300 brush seal
(F) SILL BASE & SILL INSERT PILES	
F(DTS12.5-29)	PBF69375 brush seal
(G) SILL BASE FLAP SEALS	
F(DTS12.5-29)	3153 Santoprene flap seal

2 pane 10mm horizontal slider 300 series in timber frames

horizontal section B-B

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
(A)	FRAME AND JOINERY TIMBER
F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
(H)	JAMB FOAM
F(DTS12.5-29)	FS473x18 foam seal

(I)	JAMB PILES
F(DTS12.5-29)	PBF48525 brush seal
(J)	LAP SEAL
F(DTS12.5-29)	PBF48625 brush seal



drawing:
revision:
date:

HSF(-) 2P10 SS T h - timber cover option 2
0
Mar 2013

BUSHFIRE

aneeta