



# 2 pane 22mm horizontal slider 300 series in aluminium frames (double glazed)

vertical section A-A




BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No F(DTS40) system available F(40) - BAL40 (based on testing)	
<b>(A) HEAD BASE &amp; CENTRE HEAD PILES</b>	
F(DTS12.5-29)	PBF69425 brush seal
F(40)	PBF69425 brush seal
<b>(B) GLAZING</b>	
F(DTS12.5)	4mm (min.) Grade A Safety Glass (laminated or toughened) Outer Pane
F(DTS19-29)	5mm (min.) Toughened Glass Outer Pane
F(40)	4mm (min.) Clear Toughened Glass on each face (1200mm max. height) (1200mm max. width)
<b>(C) SILL BASE &amp; SILL INSERT PILES</b>	
F(DTS12.5-29)	PBF69375 brush seal
F(40)	PBF69375 brush seal
<b>(D) SILL BASE FLAP SEALS</b>	
F(DTS12.5-29)	3153 Santoprene flap seal
F(40)	3153 Santoprene flap seal

aneeta insert is shown here in 100mm commercial framing but it suits other BAL compliant frame types


# 2 pane 22mm horizontal slider 300 series in aluminium frames (double glazed)

## horizontal section B-B

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No F(DTS40) system available F(40) - BAL40 (based on testing)	
<b>(G)</b> JAMB FOAM	
F(DTS12.5-29)	FS473x33 foam seal
F(40)	FS473x33 foam seal
<b>(H)</b> JAMB PILES	
F(DTS12.5-29)	PBF48525 brush seal
F(40)	PBF48525 brush seal
<b>(I)</b> MEETING RAILS	
F(DTS12.5-29)	PB48625 brush seal
F(40)	PB48625 brush seal



aneeta insert is shown here in 100mm commercial framing but it suits other BAL compliant frame types



drawing: HSF(-) 2P22 SS A v  
revision: 0  
date: Mar 2013

**BUSHFIRE**

