

Table of Contents

Page	View	Variant
2	Vertical Section	VS Sill
3	Vertical Section	VS HP Sill
4	Vertical Section	No Sill
5	Vertical Section	16mm Flapseal
6	Horizontal Section	-

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock	SE	Dec2020
C	Update sill and lock	RL	Jun2013
B	Update head, pulley location, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:  
4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF

Drwn: UF

Chk:

Date: Jan2010

Scale:



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 1 of 6


Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 4P16 FSuSdF A



IF IN DOUBT ASK - DO NOT SCALE DRAWING

aneeta opening size



outside

inside

head (by others)

VS 16mm head

pulley and cord arrangement

$$\text{glass height} = (\text{opening} + 4\text{mm}) / 4$$

standard handle (clear acrylic)

16mm meeting rail

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened  
glass preferable, with optional  
gas fill i.e. argon)


flyscreen (by others)

VS sill

16mm top/bottom rail

sill (by others)


A  
FSuSdF  
(outside view)




A  
FSdSuF  
(outside view)




SFSF  
Alternative Option



FSFS  
Alternative Option



SFFS  
Alternative Option



aneeta insert is shown here in  
150mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock	SE	Dec2020
C	Update sill and lock	RL	Jun2013
B	Update head, pulley location, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF with VS sill & aluminium covers vertical section A-A	
Drwn: UF	Chk:	Date: Jan2010	Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 6

Revision: F


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 4P16 FSuSdF A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF A (F) - 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

aneeta opening size



head (by others)

VS 16mm head

pulley and cord arrangement

$$\text{glass height} = (\text{opening} + 4\text{mm}) / 4$$

standard handle (clear acrylic)

16mm meeting rail

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened  
glass preferable, with optional  
gas fill i.e. argon)

flyscreen (by others)

VS HP sill


16mm top/bottom rail

sill (by others)


outside

inside


A  
FSuSdF  
(outside view)




A  
FSdSuF  
(outside view)




SFSF  
Alternative Option



FSFS  
Alternative Option



SFFS  
Alternative Option



aneeta insert is shown here in  
150mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock	SE	Dec2020
C	Update sill and lock	RL	Jun2013
B	Update head, pulley location, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF with VS HP sill & aluminium covers vertical section A-A	
Drwn: UF	Chk:	Date: Jan2010	Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 3 of 6

Revision: F


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 4P16 FSuSdF A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF A (F) - 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING

aneeta opening size



$$\text{glass height} = (\text{opening} + 12\text{mm}) / 4$$


A  
FSuSdF  
(outside view)




A  
FSdSuF  
(outside view)




SFSF  
Alternative Option



FSFS  
Alternative Option



SFFS  
Alternative Option



aneeta insert is shown here in 150mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock	SE	Dec2020
C	Update sill and lock	RL	Jun2013
B	Update head, pulley location, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF with no sill adaptor & aluminium covers vertical section A-A	
Drwn: UF	Chk:	Date: Jan2010	Scale: 1:20A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 4 of 6

Revision: F


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 4P16 FSuSdF A

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF A (F) - 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF.dwg

aneeta opening size



outside


inside

aneeta insert is shown here in 150mm commercial framing but it suits a variety of residential and commercial frame types


A  
FSuSdF  
(outside view)




A  
FSdSuF  
(outside view)




SFSF  
Alternative Option



FSFS  
Alternative Option



SFFS  
Alternative Option



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock	SE	Dec2020
C	Update sill and lock	RL	Jun2013
B	Update head, pulley location, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF with 16mm flapseal at sill & aluminium covers vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: Date: Jan2010 Scale: 1:20A4 Sheet 5 of 6 Revision: F

Material: in Aluminium Frame

Finish:

Die/Part:

Dwg No: VS 4P16 FSuSdF A

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF A (F) - 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF.dwg

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

bottom pane


aluminium cover

16mm multipane tee

lock

flush filler (by others)

jamb (by others)



outside


inside

119.5

aneeta insert is shown here in 150mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock	SE	Dec2020
C	Update sill and lock	RL	Jun2013
B	Update head, pulley location, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential		Title: 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF with aluminium covers horizontal section B-B	
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Drwn: UF	Chk:      Date: Jan2010




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 6 of 6

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 4P16 FSuSdF A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF A (F) - 4 pane 16mm double glazed INTERLOCKING sashless double hung in aluminium frames FSuSdF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING