


Rev	Description	Approved By	Date
E	VS 300Pa sill adaptor changed to VS Sill	DF	Sep2024
D	Updated with new template, deleted continuous handle, added new lock	SE	Jan2024
C	Changed lock, pulley positions, sill & drawing layout	RL	Jun2013
B	Added VS 6mm head	SB	Feb2011
A	Original issue	UF	Jan2010

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 2 pane 6mm sashless vertical sliders in aluminium doors SS hinged door vertical section A-A				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	Material: in Aluminium frame	
						Finish: -	
						Die/Part: -	
						Dwg No: VSD 2P6 SS A	
Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 1 of 6	Revision: E		

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VSD 2P6 SS A (E) - 2 pane 6mm sashless vertical sliders in aluminium doors SS.dwg

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

6mm combination tee

top pane


bottom pane

aluminium cover

lock

flush filler (by others)

door stile (by others)



outside

inside


38.5

aneeta inserts suit a variety of manufacturers door types, but only commerical grade doors are recommended

(i.e. with corner spigets or tie rods to limit door movement)


Rev	Description	Approved By	Date
E	VS 300Pa sill adaptor changed to VS Sill	DF	Sep2024
D	Updated with new template, deleted continuous handle, added new lock	SE	Jan2024
C	Changed lock, pulley positions, sill & drawing layout	RL	Jun2013
B	Added VS 6mm head	SB	Feb2011
A	Original issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane 6mm sashless vertical sliders in aluminium doors SS hinged door horizontal section B-B		
	Drwn: UF	Chk: -	Date: Jan 2010


 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Sheet 2 of 6	
	Scale: 1:1@A4	Revision: E

Material:	in Aluminium frame
Finish:	-
Die/Part:	-
Dwg No:	VSD 2P6 SS A


M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VSD 2P6 SS A (E) - 2 pane 6mm sashless vertical sliders in aluminium doors SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
E	VS 300Pa sill adaptor changed to VS Sill	DF	Sep2024
D	Updated with new template, deleted continuous handle, added new lock	SE	Jan2024
C	Changed lock, pulley positions, sill & drawing layout	RL	Jun2013
B	Added VS 6mm head	SB	Feb2011
A	Original issue	UF	Jan2010

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 2 pane 6mm sashless vertical sliders in aluminium doors SS bifold door vertical section A-A				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	Material: in Aluminium frame	
						Finish: -	
						Die/Part: -	
						Dwg No: VSD 2P6 SS A	
Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 3 of 6	Revision: E		

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VSD 2P6 SS A (E) - 2 pane 6mm sashless vertical sliders in aluminium doors SS.dwg

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

6mm combination tee

top pane


bottom pane

aluminium cover

lock

flush filler (by others)

door stile (by others)



outside


inside

aneeta inserts suit a variety of manufacturers door types, but only commercial grade doors are recommended

(i.e. with corner spigets or tie rods to limit door movement)


Rev	Description	Approved By	Date
E	VS 300Pa sill adaptor changed to VS Sill	DF	Sep2024
D	Updated with new template, deleted continuous handle, added new lock	SE	Jan2024
C	Changed lock, pulley positions, sill & drawing layout	RL	Jun2013
B	Added VS 6mm head	SB	Feb2011
A	Original issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane 6mm sashless vertical sliders in aluminium doors SS bifold door horizontal section B-B		
	Drwn: UF	Chk: -	Date: Jan 2010

 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	
Scale: 1:1	Sheet 4 of 6
Revision: E	

Material:	in Aluminium frame
Finish:	-
Die/Part:	-
Dwg No:	VSD 2P6 SS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VSD 2P6 SS A (E) - 2 pane 6mm sashless vertical sliders in aluminium doors SS.dwg



Different door rail systems shown


aneeta inserts suit a variety of manufacturers door types, but only commerical grade doors are recommended  
  
(i.e. with corner spigets or tie rods to limit door movement)

Rev	Description	Approved By	Date
E	VS 300Pa sill adaptor changed to VS Sill	DF	Sep2024
D	Updated with new template, deleted continuous handle, added new lock	SE	Jan2024
C	Changed lock, pulley positions, sill & drawing layout	RL	Jun2013
B	Added VS 6mm head	SB	Feb2011
A	Original issue	UF	Jan2010

Proprietary and confidential  
  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane 6mm sashless vertical sliders in aluminium doors SS  
sliding door  
vertical section A-A

Drwn: UF | Chk: - | Date: Jan 2010 | Scale: 1:20A4

  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium frame  
Finish: -  
Die/Part: -  
Dwg No: VSD 2P6 SS A

Sheet 5 of 6 | Revision: E

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VSD 2P6 SS A (E) - 2 pane 6mm sashless vertical sliders in aluminium doors SS.dwg

glass width = opening - 40mm

aneeta opening size

6mm combination tee


top pane

bottom pane

aluminium cover

lock

door stile (by others)



outside

inside

AD744 STANDARD MULLION

15 x 12.5  
infill bead

38.5


39.6

aneeta inserts suit a variety of manufacturers door types, but only commercial grade doors are recommended

(i.e. with corner spigets or tie rods to limit door movement)

Rev	Description	Approved By	Date
E	VS 300Pa sill adaptor changed to VS Sill	DF	Sep2024
D	Updated with new template, deleted continuous handle, added new lock	SE	Jan2024
C	Changed lock, pulley positions, sill & drawing layout	RL	Jun2013
B	Added VS 6mm head	SB	Feb2011
A	Original issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane 6mm sashless vertical sliders in aluminium doors SS sliding door horizontal section B-B		
	Drwn: UF	Chk: -	Date: Jan 2010

 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Sheet 6 of 6	
	Scale: 1:1@A4	Revision: E

Material:	in Aluminium frame
Finish:	-
Die/Part:	-
Dwg No:	VSD 2P6 SS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VSD 2P6 SS A (E) - 2 pane 6mm sashless vertical sliders in aluminium doors SS.dwg