


Table of Contents

Page	View	Variant
2	Vertical Section	VS Sill
3	Vertical Section	VS HP Sill
4	Vertical Section	No Sill
5	Horizontal Section	-


Rev	Description	Approved	
		By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>				<p>Title: 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF</p>		<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		Material:	
								in Aluminium Frame	
								Finish:	
								Die/Part:	
								Dwg No: VS 4P16C FSuSdF A	
Drwn: UF	Chk:	Date: Jan2010	Scale:	Sheet 1 of 5	Revision: F				








IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF A (F) - 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF.dwg




glass height = (opening + 182mm) / 4
 Note: top panes are stepped units, difference is 58mm, gives 70mm lap



aneeta insert is shown here in 150mm commercial framing but it suits a variety of residential and commercial frame types


Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF with VS sill & aluminium covers vertical section A-A				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	Material:	in Aluminium Frame
						Finish:	
						Die/Part:	
						Dwg No:	VS 4P16C FSuSdF A
	Drwn: UF	Chk:	Date: Jan2010	Scale: 1:2@A4		Sheet 2 of 5	Revision: F






M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF A (F) - 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING




glass height = (opening + 182mm) / 4
 Note: top panes are stepped units, difference is 58mm, gives 70mm lap



aneeta insert is shown here in 150mm commercial framing but it suits a variety of residential and commercial frame types


Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF with VS HP sill & aluminium covers vertical section A-A				Material: in Aluminium Frame	
	 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729				Finish:	
	Drwn: UF Chk: Date: Jan2010 Scale: 1:20A4 Sheet 3 of 5				Die/Part:	
	Revision: F				Dwg No: VS 4P16C FSuSdF A	

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF A (F) - 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING




A

FSuSdF (outside view)




A


FSdSuF Alternative Option




SFSF Alternative Option



FSFS Alternative Option



SFFS Alternative Option



aneeta insert is shown here in 150mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF with no sill adaptor & aluminium covers vertical section A-A	
Drwn: UF	Chk:	Date: Jan2010	Scale: 1:2@A4



Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 4P16C FSuSdF A

Revision: F

Sheet 4 of 5



IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF A (F) - 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF.dwg

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

bottom pane

aluminium cover

16mm multipane tee






lock

flush filler (by others)

jamb (by others)

outside

inside



119.5

aneeta insert is shown here in 150mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential		Title: 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF with aluminium covers horizontal section B-B	
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Drwn: UF Chk: Date: Jan2010 Scale: 1:1eA4	



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 5

Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 4P16C FSuSdF A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF A (F) - 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF.dwg