


Table of Contents


Page	View	Box Type	Sill Type
2	Vertical Section	Medium Box	VS Sill
3	Vertical Section	Medium Box	VS HP Sill
4	Vertical Section	Medium Box	None
5	Vertical Section	Medium Box	Flapseal
6	Horizontal Section	Medium Box	-
7	Horizontal Section	Large Box	-
8	Horizontal Section	Extra Large Box	-

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Remove weight lock, add extension pin for outer pane	SE	May2023
B	Compile box sizes, update locks and pins	SE	Jan2021
A	Original issue	-	Jul2016

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS</div>				<div><div>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div></div>		<div>Material: in Aluminium Frame</div>	
							<div>Finish:</div>	
							<div>Die/Part:</div>	
							<div>Dwg No: CS 2P16 SS A</div>	
	<div>Drwn:-</div>	<div>Chk:</div>	<div>Date: Jul2016</div>	<div>Scale:</div>	<div>Sheet 1 of 8</div>	<div>Revision: E</div>		




IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Remove weight lock, add extension pin for outer pane	SE	May2023
B	Compile box sizes, update locks and pins	SE	Jan2021
A	Original issue	-	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types


<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS with medium box/ large box/ extra large box with VS sill &amp; aluminium covers vertical section A-A</div>				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		<div>Material: in Aluminium Frame</div>	
							<div>Finish:</div>	
							<div>Die/Part:</div>	
							<div>Dwg No: CS 2P16 SS A</div>	
<div>Drwn:-</div>		<div>Chk:</div>	<div>Date: Jul2016</div>	<div>Scale: 1:2@A4</div>	<div>Sheet 2 of 8</div>		<div>Revision: E</div>	

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\3. Duomode\CS 2P16 SS A (E) - 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS.dwg




Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Remove weight lock, add extension pin for outer pane	SE	May2023
B	Compile box sizes, update locks and pins	SE	Jan2021
A	Original issue	-	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS with medium box/ large box/ extra large box with VS HP sill & aluminium covers vertical section A-A				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	Material:	in Aluminium Frame
						Finish:	
						Die/Part:	
						Dwg No:	CS 2P16 SS A
	Drwn:-	Chk:	Date: Jul2016	Scale: 1:2@A4		Sheet 3 of 8	Revision:

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\3. Duomode\CS 2P16 SS A (E) - 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS.dwg



Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Remove weight lock, add extension pin for outer pane	SE	May2023
B	Compile box sizes, update locks and pins	SE	Jan2021
A	Original issue	-	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS with medium box/ large box/ extra large box with no sill adaptor & aluminium covers vertical section A-A

Drwn:-	Chk:	Date: Jul2016	Scale: 1:2@A4
--------	------	---------------	---------------


aneeta

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 4 of 8	Revision: E
--------------	-------------


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	CS 2P16 SS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\3. Duomode\CS 2P16 SS A (E) - 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS.dwg



Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Remove weight lock, add extension pin for outer pane	SE	May2023
B	Compile box sizes, update locks and pins	SE	Jan2021
A	Original issue	-	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS with medium box/ large box/ extra large box with 16mm flapseal at sill & aluminium covers vertical section A-A				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	Material: in Aluminium Frame
						Finish:
						Die/Part:
						Dwg No: CS 2P16 SS A
	Drwn:-	Chk:	Date: Jul2016	Scale: 1:2@A4	Sheet 5 of 8	Revision: E

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\3. Duomode\CS 2P16 SS A (E) - 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS.dwg


glass width = opening - 110mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane



bottom pane


aluminium cover

lock

80 x 35mm box containing lead weight  
to counter balance moving pane of glass


flush filler (by others)

jamb (by others)




Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Remove weight lock, add extension pin for outer pane	SE	May2023
B	Compile box sizes, update locks and pins	SE	Jan2021
A	Original issue	-	Jul2016

aneeta insert is shown here in  
100mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS with medium box with aluminium covers horizontal section B-B			 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Aluminium Frame
	Drwn:-	Chk:	Date: Jul2016	Scale: 1:1eA4	Sheet 6 of 8
Revision: E					Finish:
					Die/Part:
					Dwg No: CS 2P16 SS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\3. Duomode\CS 2P16 SS A (E) - 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

29.7

29.6

bottom pane

aluminium cover


lock

100 x 45mm box containing lead weight  
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

SS  
(outside view)



outside

100

inside

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Remove weight lock, add extension pin for outer pane	SE	May2023
B	Compile box sizes, update locks and pins	SE	Jan2021
A	Original issue	-	Jul2016

aneeta insert is shown here in  
100mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS  
with large box  
with aluminium covers  
horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame

Finish:

Die/Part:

Dwg No: CS 2P16 SS A

Drwn:-

Chk:


Date: Jul2016

Scale: 1:1eA4

Sheet 7 of 8

Revision: E


IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\3. Duomode\CS 2P16 SS A (E) - 2 pane 16mm double glazed INTERLOCKING Duomode Double Servery vertical slider in aluminium frames SS.dwg

glass width = opening - 192mm

aneeta opening size



outside

flyscreen (optional by others)

16mm combination tee

top pane

29.7

42

29.6

101.6

bottom pane

aluminium cover

lock

101.6 x 76.2mm box containing lead weight  
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

inside

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Remove weight lock, add extension pin for outer pane	SE	May2023
B	Compile box sizes, update locks and pins	SE	Jan2021
A	Original issue	-	Jul2016

aneeta insert is shown here in  
100mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane 16mm double glazed INTERLOCKING Duomode Double Sery vertical slider in aluminium frames SS with extra large box with aluminium covers horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame

Finish:

Die/Part:

Dwg No: CS 2P16 SS A

Drwn:-


Chk:

Date: Jul2016

Scale: 1:1eA4

Sheet 8 of 8

Revision: E



IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\3. Duomode\CS 2P16 SS A (E) - 2 pane 16mm double glazed INTERLOCKING Duomode Double Sery vertical slider in aluminium frames SS.dwg