

Table of Contents



Page	View	Box Type	Sill Type
2	Vertical Section	Small Box / Medium Box	VS Sill
3	Vertical Section	Small Box / Medium Box	VS HP Sill
4	Vertical Section	Small Box / Medium Box	None
5	Vertical Section	Small Box / Medium Box	Flapseal
6	Horizontal Section	Small Box	-
7	Horizontal Section	Medium Box	-
8	Vertical Section	Large Box / Extra Large Box	VS Sill
9	Vertical Section	Large Box / Extra Large Box	VS HP Sill
10	Vertical Section	Large Box / Extra Large Box	None
11	Vertical Section	Large Box / Extra Large Box	Flapseal
12	Horizontal Section	Large Box	-
13	Horizontal Section	Extra Large Box	-

Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed)				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Aluminium Frame
	Drwn:	Chk:	Date: Jan 2010	Scale:		Sheet 1 of 13
						Finish: Die/Part: Dwg No: VS 2P6 FS A



$$\text{glass height} = (\text{opening height} + 44\text{mm}) / 2$$

(for equal pane heights and 70mm overlap)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - small/medium box)
with aluminium covers, VS sill
vertical section A-A

Drwn: Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 13 Revision: I

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P6 FS A

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening height} + 44\text{mm}) / 2$$

(for equal pane heights and 70mm overlap)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010

IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - small/medium box)
with aluminium covers, VS HP sill
vertical section A-A



Drwn: Chk: Date: Jan 2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 3 of 13 Revision: I

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: **VS 2P6 FS A**



$$\text{glass height} = (\text{opening height} + 52\text{mm}) / 2$$

(for equal pane heights and 70mm overlap)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.



Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - small/medium box)
with aluminium covers, no sill
vertical section A-A
Drwn: Chk: Date: Jan 2010 Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 4 of 13 Revision: I

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: **VS 2P6 FS A**

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (1) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening height} + 57\text{mm}) / 2$$

(for equal pane heights and 70mm overlap)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - small/medium box)
with aluminium covers, 6mm flapseal vertical section A-A

Drwn: Chk: Date: Jan 2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 13 Revision: I


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P6 FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (I) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 100mm

aneeta opening size



flyscreen (optional by others)

6mm combination tee

top pane

44.1

39.2

bottom pane

aluminium cover

lock

60 x 30mm box containing lead weight
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)


outside

inside


23.3

60

18.3



Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - small box)
with aluminium covers
horizontal section B-B

Drwn: Chk: Date: Jan 2010 Scale: 1:1@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 6 of 13 Revision: I

Material: in Aluminium Frame

Finish:


Die/Part:

Dwg No: **VS 2P6 FS A**

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (I) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

glass width = opening - 110mm

aneeta opening size



flyscreen (optional by others)

6mm combination tee

top pane

44.1

outside

39.2

bottom pane

aluminium cover

lock

80 x 35mm box containing lead weight
to counter balance moving pane of glass

flush filler (by others)


jamb (by others)

13.3

80


8.3

inside



Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (1) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg





IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - medium box)
with aluminium covers
horizontal section B-B
Drwn: Chk: Date: Jan 2010 Scale: 1:1eA4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 7 of 13 Revision: I

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: VS 2P6 FS A



$$\text{glass height} = (\text{opening height} + 44\text{mm}) / 2$$

(for equal pane heights and 70mm overlap)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - large/extra large box) with aluminium covers, VS sill
vertical section A-A

Drwn: Chk: Date: Jan 2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 8 of 13 Revision: I

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P6 FS A


M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (I) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - large/extra large box) with aluminium covers, VS HP sill
vertical section A-A

Drwn: Chk: Date: Jan 2010 Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 9 of 13 Revision: I

Material: in Aluminium Frame

Finish:

Die/Part:

Dwg No: **VS 2P6 FS A**



$$\text{glass height} = (\text{opening height} + 52\text{mm}) / 2$$

(for equal pane heights and 70mm overlap)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - large box)
with aluminium covers, no sill
vertical section A-A

Drwn: Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 10 of 13 Revision: I

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P6 FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (I) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening height} + 57\text{mm}) / 2$$

(for equal pane heights and 70mm overlap)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (1) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - large box)
with aluminium covers, 6mm flapseal
vertical section A-A

Drwn: Chk: Date: Jan 2010 Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 11 of 13 Revision: I

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P6 FS A

glass width = opening - 130mm

aneeta opening size



outside

inside

flyscreen (optional by others)

6mm combination tee

top pane

41.6

41.6

bottom pane


aluminium cover

lock

100 x 45mm box containing lead weight to counter balance moving pane of glass


flush filler (by others)

jamb (by others)



100

Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - large box)
with aluminium covers
horizontal section B-B
Drwn: Chk: Date: Jan 2010 Scale: 1:1@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: VS 2P6 FS A
Revision: I

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (1) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

glass width = opening - 192mm

aneeta opening size



outside

inside

flyscreen (optional by others)

6mm combination tee

top pane

41.6

41.6

bottom pane

aluminium cover

lock


101.6 x 76.2mm box containing lead weight to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

101.6

Rev	Description	Approved	
		By	Date
I	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
H	Add sill options: 800Pa Sill, None, Flapseal	SE	Apr2024
G	Updated with new template, deleted continuous handle	SE	Jan2024
F	Add new lock and pins	SE	Dec2020
E	Add new lock	SE	Nov2018
D	Add new boxes, update part positions and layout		Jun2013
C	Update aluminium sill, heads, layout	RL	Feb2012
B	Update part positions and layout	UF	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 6mm sashless vertical slider in aluminium frames
(top pane fixed - extra large box)
with aluminium covers
horizontal section B-B
Drwn: Chk: Date: Jan 2010 Scale: 1:1@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: VS 2P6 FS A
Sheet 13 of 13 Revision: I

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P6 FS A (1) - 2 pane servery 6mm sashless vertical slider in aluminium frames (top pane fixed) FS.dwg