


Table of Contents


Page	View	Box Type	Handle Type	Sill Type
2	Vertical Section	Large Box / Extra Large Box	Acrylic Handle	300 Pa Sill
3	Vertical Section	Large Box / Extra Large Box	Acrylic Handle	800 Pa Sill
4	Vertical Section	Large Box / Extra Large Box	Acrylic Handle	None
5	Vertical Section	Large Box / Extra Large Box	Acrylic Handle	Flapseal
6	Vertical Section	Large Box / Extra Large Box	Meeting Rail Handle	300 Pa Sill
7	Vertical Section	Large Box / Extra Large Box	Meeting Rail Handle	800 Pa Sill
8	Vertical Section	Large Box / Extra Large Box	Meeting Rail Handle	None
9	Vertical Section	Large Box / Extra Large Box	Meeting Rail Handle	Flapseal
10	Horizontal Section	Large Box		-
11	Horizontal Section	Extra Large Box		-

Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update lock and extension pins	SE Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM Jun2013
B	Update head, pulley height, glass height formula	UF Nov2010
A	Original issue	UF Jan2010

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>				<p>Title: 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF</p> <div><p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p></div>		Material: in Aluminium Frame	
						Finish:	
						Die/Part:	
						Dwg No: VS 3P16 FSuF A	
						Drwn:UF	Chk:





IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update lock and extension pins	SE Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM Jun2013
B	Update head, pulley height, glass height formula	UF Nov2010
A	Original issue	UF Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types


Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with 300Pa sill adaptor, acrylic handle, aluminium covers vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Aluminium Frame
						Finish:
						Die/Part:
						Dwg No: VS 3P16 FSuF A
Drwn:UF	Chk:	Date: Jan2010	Scale: 1:2@A4	Sheet 2 of 11	Revision: E	







Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with 800Pa sill adaptor, acrylic handle, aluminium covers vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Aluminium Frame
						Finish:
						Die/Part:
						Dwg No: VS 3P16 FSuF A
Drwn:UF	Chk:	Date: Jan2010	Scale: 1:2@A4	Sheet 3 of 11	Revision: E	






$$\text{glass height} = (\text{opening} + 1\text{mm}) / 3$$

10

Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010


aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title:</p> <p>3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with no sill adaptor, acrylic handle, aluminium covers vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>	<p>Material:</p> <p>in Aluminium Frame</p>		
						<p>Finish:</p>		
						<p>Die/Part:</p>		
						<p>Dwg No:</p> <p>VS 3P16 FSuF A</p>		
	<p>Drwn:UF</p>	<p>Chk:</p>	<p>Date: Jan2010</p>	<p>Scale: 1:2@A4</p>		<p>Sheet 4 of 11</p>	<p>Revision: E</p>	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P16 FSuF A (E) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update lock and extension pins	SE Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM Jun2013
B	Update head, pulley height, glass height formula	UF Nov2010
A	Original issue	UF Jan2010


aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with 16mm flapseal at sill, acrylic handle, aluminium covers vertical section A-A

Drwn:UF	Chk:	Date: Jan2010	Scale: 1:2@A4
---------	------	---------------	---------------



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 5 of 11	Revision: E
---------------	-------------

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P16 FSuF A

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P16 FSuF A (E) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding) FSuF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved	
		By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types


<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>				<p>Title: 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with 300Pa sill adaptor, meeting rail handle, aluminium covers vertical section A-A</p>		 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material: in Aluminium Frame</p>	
								<p>Finish:</p>	
								<p>Die/Part:</p>	
								<p>Dwg No: VS 3P16 FSuF A</p>	
Drwn:UF		Chk:	Date: Jan2010	Scale: 1:2 A4	Sheet 6 of 11		Revision: E		

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P16 FSuF A (E) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding) FSuF.dwg



Rev	Description	Approved	
		By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010


aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with 800Pa sill adaptor, meeting rail handle, aluminium covers vertical section A-A</div>				<div><div>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div></div>	Material: in Aluminium Frame		
						Finish:		
						Die/Part:		
						Dwg No: VS 3P16 FSuF A		
Drwn:UF		Chk:	Date: Jan2010	Scale: 1:2@A4	Sheet 7 of 11	Revision: E		

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P16 FSuF A (E) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update lock and extension pins	SE Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM Jun2013
B	Update head, pulley height, glass height formula	UF Nov2010
A	Original issue	UF Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with no sill adaptor, meeting rail handle, aluminium covers vertical section A-A

Drwn:UF	Chk:	Date: Jan2010	Scale: 1:2@A4
---------	------	---------------	---------------


aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 8 of 11

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P16 FSuF A




IF IN DOUBT ASK - DO NOT SCALE DRAWING

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P16 FSuF A (E) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding) FSuF.dwg



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with 16mm flapseal at sill, meeting rail handle, aluminium covers vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>	<p>Material: in Aluminium Frame</p>
						<p>Finish:</p>
						<p>Die/Part:</p>
						<p>Dwg No: VS 3P16 FSuF A</p>
<p>Drwn:UF</p>	<p>Chk:</p>	<p>Date: Jan2010</p>	<p>Scale: 1:2@A4</p>	<p>Sheet 9 of 11</p>	<p>Revision: E</p>	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P16 FSuF A (E) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

15.2

outside

17.5

33

100

bottom pane

aluminium cover

lock

100 x 45mm box containing lead weight
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

inside

Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in
100mm commercial framing but
it suits a variety of residential
and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF
with large box
with aluminium covers
horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material:
in Aluminium Frame


Finish:

Die/Part:

Dwg No: VS 3P16 FSuF A

Drwn:UF Chk: Date: Jan2010 Scale: 1:1@A4 Sheet 10 of 11 Revision: E

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P16 FSuF A (E) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 192mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

15.2

outside

17.5

bottom pane

aluminium cover

lock

101.6 x 76.2mm box containing lead weight
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

101.6

inside

Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update lock and extension pins	SE Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM Jun2013
B	Update head, pulley height, glass height formula	UF Nov2010
A	Original issue	UF Jan2010

aneeta insert is shown here in
100mm commercial framing but
it suits a variety of residential
and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with extra large box with aluminium covers horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame

Finish:

Die/Part:

Dwg No: VS 3P16 FSuF A

Drwn:UF Chk: Date: Jan2010 Scale: 1:1 A4 Sheet 11 of 11 Revision: E

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P16 FSuF A (E) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (middle pane sliding) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING