


Table of Contents

Page	View	Box Type	Sill Type
2	Vertical Section	Medium Box	300 Pa Sill
3	Vertical Section	Medium Box	800 Pa Sill
4	Vertical Section	Medium Box	None
5	Horizontal Section	Medium Box	-
6	Vertical Section	Large Box / Extra Large Box	300 Pa Sill
7	Vertical Section	Large Box / Extra Large Box	800 Pa Sill
8	Vertical Section	Large Box / Extra Large Box	None
9	Horizontal Section	Large Box	-
10	Horizontal Section	Extra Large Box	-


Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update locks and extension pins	SE Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL Jun2013
B	-	UF Nov2010
A	Original issue	UF Jan2010

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>				<p>Title: 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS</p> <div><p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p></div>		Material: in Aluminium Frame	
						Finish:	
						Die/Part:	
						Dwg No: VS 2P16C FS A	
Drwn:-	Chk:	Date: -	Scale:	Sheet 1 of 10	Revision: E		




IF IN DOUBT ASK - DO NOT SCALE DRAWING

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010


aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		<b>Title:</b> 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with medium box with aluminium covers, acrylic handle, 300Pa sill adaptor vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		<b>Material:</b> in Aluminium Frame
Drwn:-		Chk:		Date: -		<b>Finish:</b>
Scale: 1:2@A4		Sheet 2 of 10		Revision: E		<b>Die/Part:</b>
						<b>Dwg No:</b> VS 2P16C FS A


N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

glass width = opening - 110mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

18.9

40.4

bottom pane



aluminium cover

lock

80 x 35mm box containing lead weight  
to counter balance moving pane of glass

flush filler (by others)


jamb (by others)



inside

Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update locks and extension pins	SE Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL Jun2013
B	-	UF Nov2010
A	Original issue	UF Jan2010


aneeta insert is shown here in  
100mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with medium box with aluminium covers horizontal section B-B		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Aluminium Frame	
Drwn:-		Chk:		Date: -		Finish:	
Scale: 1:1@A4		Sheet 5 of 10		Revision: E		Die/Part:	
						Dwg No: VS 2P16C FS A	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING




glass height = (opening + 42mm) / 2  
Note: top pane is a stepped unit,  
difference is 58mm, gives 70mm lap

Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types


<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with large box / extra large box with aluminium covers, acrylic handle, 300Pa sill adaptor vertical section A-A				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	Material: in Aluminium Frame	
						Finish:	
						Die/Part:	
						Dwg No: VS 2P16C FS A	
Drwn:-	Chk:	Date: -	Scale: 1:2@A4	Sheet 6 of 10	Revision: E		

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg




Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types


Proprietary and confidential				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		Material: in Aluminium Frame	
<div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>						Finish:	
						Die/Part:	
						Dwg No: VS 2P16C FS A	
Drwn:-		Chk:	Date: -	Scale: 1:2@A4	Sheet 7 of 10	Revision: E	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		Material: in Aluminium Frame	
<p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>						Finish:	
						Die/Part:	
						Dwg No: VS 2P16C FS A	
Drwn:-		Chk:	Date: -	Scale: 1:2@A4	Sheet 8 of 10	Revision: E	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

29.7

29.6

bottom pane


aluminium cover

lock

100 x 45mm box containing lead weight  
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)




outside

inside

100

Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in  
100mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with large box with aluminium covers horizontal section B-B		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Aluminium Frame
	Drwn:-	Chk:	Date: -	Scale: 1:1@A4	Finish:
Sheet 9 of 10					Die/Part:
Revision: E					Dwg No: VS 2P16C FS A

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 192mm

aneeta opening size

flyscreen (optional by others)

10mm combination tee

top pane

29.7

29.6

bottom pane

aluminium cover


lock

101.6 x 76.2mm box containing lead weight  
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

FS  
(outside view)



outside

101.6

inside

Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update locks and extension pins	SE Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL Jun2013
B	-	UF Nov2010
A	Original issue	UF Jan2010

aneeta insert is shown here in  
100mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Proprietary and confidential

The information contained in this drawing  
is the sole property of Aneeta Australia.  
Any reproduction in part or as a whole,  
without the written permission of Aneeta  
Australia is prohibited.

Title:  
2 pane servery 16mm double glazed CLEARSTEP sashless  
vertical slider in aluminium frames (top pane fixed) FS  
with extra large box  
with aluminium covers  
horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:- Chk: Date: - Scale: 1:1 A4 Sheet 10 of 10 Revision: E

Material: in Aluminium Frame

Finish:

Die/Part:

Dwg No: VS 2P16C FS A

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (E) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING