


N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg

Table of Contents



Page	View	Box Type	Handle Type	Sill Type
2	Vertical Section	Medium Box	Acrylic Handle	300 Pa Sill
3	Vertical Section	Medium Box	Acrylic Handle	800 Pa Sill
4	Vertical Section	Medium Box	Acrylic Handle	None
5	Vertical Section	Medium Box	Acrylic Handle	Flapseal
6	Horizontal Section	Medium Box	-	-
7	Vertical Section	Large Box / Extra Large Box	Acrylic Handle	300 Pa Sill
8	Vertical Section	Large Box / Extra Large Box	Acrylic Handle	800 Pa Sill
9	Vertical Section	Large Box / Extra Large Box	Acrylic Handle	None
10	Vertical Section	Large Box / Extra Large Box	Acrylic Handle	Flapseal
11	Horizontal Section	Large Box	-	-
12	Horizontal Section	Extra Large Box	-	-

Rev	Description	Approved	
		By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>				<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF</p>		<div><p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p></div>		<p>Material: in Aluminium Frame</p>	
								<p>Finish:</p>	
								<p>Die/Part:</p>	
								<p>Dwg No: VS 2P16 SF A</p>	
<p>Drwn:UF</p>		<p>Chk:</p>	<p>Date: Jan2010</p>	<p>Scale:</p>	<p>Sheet 1 of 12</p>	<p>Revision: E</p>			



IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update lock and extension pin	SE Dec2020
C	Update sill, boxes, change layout	RL Mar2013
B	Update head, pulley height, glass height formula	UF Nov2010
A	Original issue	UF Jan2010


aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with medium box with aluminium covers, acrylic handle, 300Pa sill adaptor vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Aluminium Frame
						Finish:
						Die/Part:
						Dwg No: VS 2P16 SF A
Drwn:UF	Chk:	Date: Jan2010	Scale: 1:2@A4	Sheet 2 of 12	Revision: E	



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with medium box with aluminium covers, acrylic handle, 800Pa sill adaptor vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Aluminium Frame
						Finish:
						Die/Part:
						Dwg No: VS 2P16 SF A
Drwn:UF	Chk:	Date: Jan2010	Scale: 1:2@A4	Sheet 3 of 12	Revision: E	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with medium box with aluminium covers, acrylic handle, no sill adaptor vertical section A-A				Material: in Aluminium Frame	
	 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729				Finish:	
	Drwn:UF Chk: Date: Jan2010 Scale: 1:2@A4 Sheet 4 of 12 Revision: E				Die/Part:	
					Dwg No: VS 2P16 SF A	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update lock and extension pin	SE Dec2020
C	Update sill, boxes, change layout	RL Mar2013
B	Update head, pulley height, glass height formula	UF Nov2010
A	Original issue	UF Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types


A Original Issue		UF Jan2010			
<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with medium box with aluminium covers, acrylic handle, 16mm flapseal at sill vertical section A-A</div>		<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	Material: in Aluminium Frame	
				Finish:	
				Die/Part:	
				Dwg No: VS 2P16 SF A	
Drwn:UF	Chk:	Date: Jan2010	Scale: 1:20A4	Sheet 5 of 12	Revision: E

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 110mm



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with medium box with aluminium covers horizontal section B-B




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Drwn:UF Chk: Date: Jan2010 Scale: 1:1@A4 Sheet 6 of 12 Revision: E

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: VS 2P16 SF A

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with large box / extra large box with aluminium covers, acrylic handle, 300Pa sill adaptor vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Aluminium Frame
						Finish:
						Die/Part:
						Dwg No: VS 2P16 SF A
Drwn:UF	Chk:	Date: Jan2010	Scale: 1:2@A4	Sheet 7 of 12	Revision: E	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010


aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

A Original Issue		UF Jan2010																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
--------------------	--	--------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with large box / extra large box with aluminium covers, acrylic handle, no sill adaptor vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>	<p>Material: in Aluminium Frame</p>	
						<p>Finish:</p>	
						<p>Die/Part:</p>	
						<p>Dwg No: VS 2P16 SF A</p>	
Drwn:UF	Chk:	Date: Jan2010	Scale: 1:2@A4	Sheet 9 of 12	Revision: E		

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening} - 6\text{mm}) / 2$$

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with large box / extra large box with aluminium covers, acrylic handle, 16mm flapseal at sill vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material: in Aluminium Frame</p>
							<p>Finish:</p>
							<p>Die/Part:</p>
							<p>Dwg No: VS 2P16 SF A</p>
	<p>Drwn:UF</p>	<p>Chk:</p>	<p>Date: Jan2010</p>	<p>Scale: 1:2@A4</p>	<p>Sheet 10 of 12</p>	<p>Revision: E</p>	

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

29.6

29.6

bottom pane

aluminium cover


lock

100 x 45mm box containing lead weight
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

SF
(outside view)



outside

100

inside

Rev	Description	Approved By	Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, boxes, change layout	RL	Mar2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in
100mm commercial framing but
it suits a variety of residential
and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF with large box with aluminium covers horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame

Finish:

Die/Part:

Dwg No: VS 2P16 SF A

Drwn:UF Chk: Date: Jan2010 Scale: 1:1@A4 Sheet 11 of 12 Revision: E

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames (bottom pane fixed) SF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 192mm

aneeta opening size

flyscreen (optional by others)

10mm combination tee

top pane

29.6

29.6

bottom pane

aluminium cover


lock

101.6 x 76.2mm box containing lead weight
to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

SF
(outside view)



outside

101.6

inside

Rev	Description	Approved
		By Date
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE Apr2024
D	Update lock and extension pin	SE Dec2020
C	Update sill, boxes, change layout	RL Mar2013
B	Update head, pulley height, glass height formula	UF Nov2010
A	Original issue	UF Jan2010

aneeta insert is shown here in
100mm commercial framing but
it suits a variety of residential
and commercial frame types

Proprietary and confidential

The information contained in this drawing
is the sole property of Aneeta Australia.
Any reproduction in part or as a whole,
without the written permission of Aneeta
Australia is prohibited.

Title:
2 pane servery 16mm double glazed INTERLOCKING sashless
vertical slider in aluminium frames (bottom pane fixed) SF
with extra large box
with aluminium covers
horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:UF Chk: Date: Jan2010 Scale: 1:1 A4

Sheet 12 of 12

Revision: E


Material:
in Aluminium Frame

Finish:

Die/Part:

Dwg No: VS 2P16 SF A

N:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16 SF A (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in aluminium frames
(bottom pane fixed) SF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING