


Table of Contents

Page	View	Variant
2	Vertical Section	VS Sill
3	Vertical Section	VS HP Sill
4	Vertical Section	No Sill
5	Horizontal Section	-



Rev	Description	Approved By	Date
G	Alternative options of window configuration removed	DF	Mar2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF			<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		Material: in Aluminium Frame
						Finish:
						Die/Part:
						Dwg No: VS 4P16C FSuSdF A
	Drwn: UF	Chk:	Date: Jan2010	Scale:	Sheet 1 of 5	Revision: G



IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF A (G) - 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF.dwg



glass height = (opening + 182mm) / 4  
Note: top panes are stepped units,  
difference is 58mm, gives 70mm lap

head (by others)

VS 16mm head

pulley and cord arrangement

standard handle (clear acrylic)

16mm lapseal

16mm glass edge L cap

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened  
glass preferable, with optional  
gas fill i.e. argon)

flyscreen (by others)

VS sill

16mm glass edge U cap

sill (by others)

outside

inside

aneeta insert is shown here in  
150mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Rev	Description	Approved By	Date
G	Alternative options of window configuration removed	DF	Mar2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential  
The information contained in this drawing  
is the sole property of Aneeta Australia.  
Any reproduction in part or as a whole,  
without the written permission of Aneeta  
Australia is prohibited.

Title:  
4 pane 16mm double glazed CLEARSTEP sashless  
double hung in aluminium frames FSuSdF  
with VS sill & aluminium covers  
vertical section A-A




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Drwn: UF Chk: Date: Jan2010 Scale: 1:20A4 Sheet 2 of 5 Revision: G

Material: in Aluminium Frame  
Finish:  
Die/Part:  
Dwg No: VS 4P16C FSuSdF A

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF A (G) - 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF.dwg



glass height = (opening + 182mm) / 4  
Note: top panes are stepped units,  
difference is 58mm, gives 70mm lap

head (by others)

VS 16mm head

pulley and cord arrangement

standard handle (clear acrylic)

16mm lapseal

16mm glass edge L cap

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened  
glass preferable, with optional  
gas fill i.e. argon)

flyscreen (by others)

VS HP sill

16mm glass edge U cap

sill (by others)

outside

inside

aneeta insert is shown here in  
150mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Rev	Description	Approved By	Date
G	Alternative options of window configuration removed	DF	Mar2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential  
The information contained in this drawing  
is the sole property of Aneeta Australia.  
Any reproduction in part or as a whole,  
without the written permission of Aneeta  
Australia is prohibited.

Title:  
4 pane 16mm double glazed CLEARSTEP sashless  
double hung in aluminium frames FSuSdF  
with VS HP sill & aluminium covers  
vertical section A-A




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: Date: Jan2010 Scale: 1:20A4

Sheet 3 of 5



Revision: G

Material: in Aluminium Frame  
Finish:  
Die/Part:  
Dwg No: VS 4P16C FSuSdF A



IF IN DOUBT ASK - DO NOT SCALE DRAWING


M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF A (G) - 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF.dwg



glass height = (opening + 190mm) / 4  
Note: top panes are stepped units,  
difference is 58mm, gives 70mm lap

aneeta insert is shown here in  
150mm commercial framing but  
it suits a variety of residential  
and commercial frame types

Rev	Description	Approved By	Date
G	Alternative options of window configuration removed	DF	Mar2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010


Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF with no sill adaptor & aluminium covers vertical section A-A				Material: in Aluminium Frame	
	 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729				Finish:	
	Drwn: UF Chk: Date: Jan2010 Scale: 1:20A4 Sheet 4 of 5 Revision: G				Die/Part:	
					Dwg No: VS 4P16C FSuSdF A	



glass width = opening - 40mm

aneeta opening size

outside



flyscreen (optional by others)

16mm combination tee

top pane

bottom pane

aluminium cover

16mm multipane tee

lock

flush filler (by others)

jamb (by others)

119.5

inside

aneeta insert is shown here in 150mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
G	Alternative options of window configuration removed	DF	Mar2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pin	SE	Dec2020
C	Update sill, lock, pulley height	RL	Jun2013
B	Update pulley height and glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 4 pane 16mm double glazed CLEARSTEP sashless double hung in aluminium frames FSuSdF with aluminium covers horizontal section B-B	
Drwn: UF	Chk:	Date: Jan2010	Scale: 1:1eA4



Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 4P16C FSuSdF A