

## Table of Contents



Page	View	Timber Covers	Jamb Type
2	Vertical Section	None	-
3	Horizontal Section	None	300-10 jamb profiles
4	Vertical Section	Timber Cover Option 1	-
5	Vertical Section	Timber Cover Option 2	-
6	Horizontal Section	Timber Cover Option 1 or 2	300-10 jamb profiles

Rev	Description	Approved	
		By	Date
C	Upd. rollers, bottom rails, seals, lock, layout	SB	Mar2013
D	Update locks, layout	SE	Jun2024



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material:	in Timber Frame
	Drwn:-	Chk: -	Date: -	Scale:		Sheet 1 of 6	Revision: D
						Die/Part:	
						Dwg No:	HSF 2P10 SS T



**Note: heads must be flat (no rebates)**

### BAL Part Schedule

F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
<b>(A) FRAME AND JOINERY TIMBER</b>	
F(DTS12.5-19)	timber density of 650 kg/m <sup>3</sup> or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
<b>(B) HEAD COVER UPPER PILE</b>	
F(DTS12.5-29)	PBF69900 brush seal
<b>(C) OUTSIDE HEAD, CENTRE HEAD &amp; HEAD COVER PILES</b>	
F(DTS12.5-29)	PBF48525 brush seal
<b>(D) GLAZING</b>	
F(DTS12.5)	10mm Grade A Safety Glass (i.e Laminated or Toughened)
F(DTS19-29)	10mm Toughened Glass
<b>(E) BOTTOM RAIL PILE</b>	
F(DTS12.5-29)	PB69300 brush seal
<b>(F) SILL BASE &amp; SILL INSERT PILES</b>	
F(DTS12.5-29)	PBF69375 brush seal
<b>(G) SILL BASE FLAP SEALS</b>	
F(DTS12.5-29)	3153 Santoprene flap seal

Bushfire compliant metal mesh screens (by others)

outside

inside

min. sill rebate  
58.9mm

Rev	Description	Approved By	Date
C	Upd. rollers, bottom rails, seals, lock, layout	SB	Mar2013
D	Update locks, layout	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS  
no timber covers  
vertical section A-A


Drwn:-    Chk: -    Date: -    Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 6

Material:	in Timber Frame
Finish:	
Die/Part:	
Dwg No:	HSF 2P10 SS T
Revision:	D



N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P10 SS T (D) - BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
<b>(A) FRAME AND JOINERY TIMBER</b>	
F(DTS12.5-19)	timber density of 650 kg/m <sup>3</sup> or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
<b>(H) JAMB FOAM</b>	
F(DTS12.5-29)	FS473x18 foam seal

<b>(I) JAMB PILES</b>	
F(DTS12.5-29)	PBF48525 brush seal
<b>(J) LAP SEAL</b>	
F(DTS12.5-29)	PBF48625 brush seal





N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P10 SS T (D) - BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.			Title: BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS no timber covers horizontal section B-B		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Timber Frame												
	<table border="1"> <thead> <tr> <th>Rev</th> <th>Description</th> <th>Approved By</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>Upd. rollers, bottom rails, seals, lock, layout</td> <td>SB</td> <td>Mar2013</td> </tr> <tr> <td>D</td> <td>Update locks, layout</td> <td>SE</td> <td>Jun2024</td> </tr> </tbody> </table>		Rev	Description		Approved By	Date	C	Upd. rollers, bottom rails, seals, lock, layout	SB	Mar2013	D	Update locks, layout	SE	Jun2024	Scale: 1:2@A4		Sheet 3 of 6
Rev	Description	Approved By	Date															
C	Upd. rollers, bottom rails, seals, lock, layout	SB	Mar2013															
D	Update locks, layout	SE	Jun2024															
		Drwn:-	Chk: -	Date: -	Revision: D													



**Note: heads must be flat (no rebates)**

Bushfire compliant metal mesh screens (by others)

### BAL Part Schedule

F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
<b>A</b>	<b>FRAME AND JOINERY TIMBER</b>
F(DTS12.5-19)	timber density of 650 kg/m <sup>3</sup> or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
<b>B</b>	<b>HEAD COVER UPPER PILE</b>
F(DTS12.5-29)	PBF69900 brush seal
<b>C</b>	<b>OUTSIDE HEAD, CENTRE HEAD &amp; HEAD COVER PILES</b>
F(DTS12.5-29)	PBF48525 brush seal
<b>D</b>	<b>GLAZING</b>
F(DTS12.5)	10mm Grade A Safety Glass (i.e Laminated or Toughened)
F(DTS19-29)	10mm Toughened Glass
<b>E</b>	<b>BOTTOM RAIL PILE</b>
F(DTS12.5-29)	PB69300 brush seal
<b>F</b>	<b>SILL BASE &amp; SILL INSERT PILES</b>
F(DTS12.5-29)	PBF69375 brush seal
<b>G</b>	<b>SILL BASE FLAP SEALS</b>
F(DTS12.5-29)	3153 Santoprene flap seal

Rev	Description	Approved By	Date
C	Upd. rollers, bottom rails, seals, lock, layout	SB	Mar2013
D	Update locks, layout	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:  
BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS timber cover option 1 vertical section A-A

Drwn:-    Chk: -    Date: -    Scale: 1:2@A4





Material:	in Timber Frame
Finish:	
Die/Part:	
Dwg No:	HSF 2P10 SS T

N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P10 SS T (D) - BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
<b>(A) FRAME AND JOINERY TIMBER</b>	
F(DTS12.5-19)	timber density of 650 kg/m <sup>3</sup> or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
<b>(B) HEAD COVER UPPER PILE</b>	
F(DTS12.5-29)	PBF69900 brush seal
<b>(C) OUTSIDE HEAD, CENTRE HEAD &amp; HEAD COVER PILES</b>	
F(DTS12.5-29)	PBF48525 brush seal
<b>(D) GLAZING</b>	
F(DTS12.5)	10mm Grade A Safety Glass (i.e Laminated or Toughened)
F(DTS19-29)	10mm Toughened Glass
<b>(E) BOTTOM RAIL PILE</b>	
F(DTS12.5-29)	PB69300 brush seal
<b>(F) SILL BASE &amp; SILL INSERT PILES</b>	
F(DTS12.5-29)	PBF69375 brush seal
<b>(G) SILL BASE FLAP SEALS</b>	
F(DTS12.5-29)	3153 Santoprene flap seal

Rev	Description	Approved By	Date
C	Upd. rollers, bottom rails, seals, lock, layout	SB	Mar2013
D	Update locks, layout	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS timber cover option 2 vertical section A-A

Drwn:-    Chk: -    Date: -    Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 6    Revision: D

Material:	in Timber Frame
Finish:	
Die/Part:	
Dwg No:	HSF 2P10 SS T



N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P10 SS T (D) - BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
<b>(A) FRAME AND JOINERY TIMBER</b>	
F(DTS12.5-19)	timber density of 650 kg/m <sup>3</sup> or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
<b>(H) JAMB FOAM</b>	
F(DTS12.5-29)	FS473x18 foam seal

<b>(I) JAMB PILES</b>	
F(DTS12.5-29)	PBF48525 brush seal
<b>(J) LAP SEAL</b>	
F(DTS12.5-29)	PBF48625 brush seal



N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P10 SS T (D) - BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.			Title: BAL12.5 to 29 2 pane 10mm sashless horizontal sliders in timber frames SS timber cover option 1 or 2 300-10 jambs horizontal section B-B		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Timber Frame												
	<table border="1"> <thead> <tr> <th>Rev</th> <th>Description</th> <th>By</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>Upd. rollers, bottom rails, seals, lock, layout</td> <td>SB</td> <td>Mar2013</td> </tr> <tr> <td>D</td> <td>Update locks, layout</td> <td>SE</td> <td>Jun2024</td> </tr> </tbody> </table>		Rev	Description		By	Date	C	Upd. rollers, bottom rails, seals, lock, layout	SB	Mar2013	D	Update locks, layout	SE	Jun2024	Approved By Date SB Mar2013 SE Jun2024		Scale: 1:2@A4 Sheet 6 of 6 Revision: D
Rev	Description	By	Date															
C	Upd. rollers, bottom rails, seals, lock, layout	SB	Mar2013															
D	Update locks, layout	SE	Jun2024															