

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No F(DTS40) system available F(40) - BAL40 (based on testing)	
(A) HEAD COVER UPPER PILE	
F(DTS12.5-29)	PBF69900 brush seal
F(40)	PBF69900 brush seal
(B) OUTSIDE HEAD, CENTRE HEAD & HEAD COVER PILES	
F(DTS12.5-29)	PBF48525 brush seal
F(40)	PBF48525 brush seal
(C) GLAZING	
F(DTS12.5-29)	10mm Toughened Glass
F(40)	10mm Clear Toughened Glass (1200mm max. height) (1200mm max. width)
(D) BOTTOM RAIL PILE	
F(DTS12.5)	10mm Grade A Safety Glass (i.e Laminated or Toughened)
F(DTS19-29)	10mm Toughened Glass
F(40)	PB69300 brush seal
(E) SILL BASE & SILL INSERT PILES	
F(DTS12.5-29)	PBF69375 brush seal
F(40)	PBF69375 brush seal
(F) SILL BASE FLAP SEALS	
F(DTS12.5-29)	3153 Santoprene flap seal
F(40)	3153 Santoprene flap seal

aneeta insert is shown here in 100mm commercial framing but it suits other BAL compliant frame types

N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P10 SS A (B) - BAL12.5 to 40 2 pane 10mm sashless horizontal sliders in aluminium frames SS.dwg

Rev	Description	Approved By	Date
A	Original Issue	SB	Nov2012
B	Update layout	SE	Jun2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
BAL12.5 to 40 - 2 pane 10mm sashless horizontal sliders in aluminium frames SS vertical section A-A

Drwn:SB Chk: - Date: Nov2012 Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 1 of 2 Revision: B

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	HSF 2P10 SS A

IF IN DOUBT ASK - DO NOT SCALE DRAWING



BAL Part Schedule

F(DTSxx) - Deemed-to-Satisfy
 No F(DTS40) system available
 F(40) - BAL40 (based on testing)

G JAMB FOAM

F(DTS12.5-29) FS473x18 foam seal

F(40) FS473x18 foam seal

H JAMB PILES



F(DTS12.5-29) PBF48525 brush seal

F(40) PBF48525 brush seal

I LAP SEAL

F(DTS12.5-29) PBF48625 brush seal

F(40) QL48650FR intumescent fire seal



N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P10 SS A (B) - BAL12.5 to 40 2 pane 10mm sashless horizontal sliders in aluminium frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Rev	Description	Approved By	Date
A	Original Issue	SB	Nov2012
B	Update layout	SE	Jun2024

Title:
 BAL12.5 to 40 - 2 pane 10mm sashless horizontal sliders in aluminium frames SS horizontal section B-B

Drwn:SB Chk: - Date: Nov2012 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	HSF 2P10 SS A

Revision: B