


Table of Contents


Page	View	Timber Covers	Jamb Type
2	Vertical Section	None	-
3	Horizontal Section	None	300-22 jamb profiles
4	Horizontal Section	None	No jamb profiles
5	Vertical Section	Timber Cover Option 1	-
6	Vertical Section	Timber Cover Option 2	-
7	Horizontal Section	Timber Cover Option 1 or 2	300-22 jamb profiles

Rev	Description	Approved By	Date
C	Upd. rollers, bottom rails, seals, lock, layout, seals	SB	Mar2013
D	Update locks, layout	SE	Jun2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>				<p>Title: BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS</p> <div><p>aneeta®</p><p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p></div>		<p>Material:</p> <p>in Timber Frame</p>	
						<p>Finish:</p>	
						<p>Die/Part:</p>	
						<p>Dwg No: HSF 2P22 SS T</p>	
						<p>Drwn:-</p>	<p>Chk: -</p>




IF IN DOUBT ASK - DO NOT SCALE DRAWING



BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
A FRAME AND JOINERY TIMBER	
F(DTS12.5-19)	timber density of 650 kg/m³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
B HEAD BASE & CENTRE HEAD PILES	
F(DTS12.5-29)	PBF69425 brush seal
C GLAZING	
F(DTS12.5)	4mm (min.) Grade A Safety Glass (laminated or toughened) Outer Pane
F(DTS19-29)	5mm (min.) Toughened Glass Outer Pane
D SILL BASE & SILL INSERT PILES	
F(DTS12.5-29)	PBF69375 brush seal
E SILL BASE FLAP SEALS	
F(DTS12.5-29)	3153 Santoprene flap seal



Rev	Description	Approved By	Date
C	Upd. rollers, bottom rails, seals, lock, layout, seals	SB	Mar2013
D	Update locks, layout	SE	Jun2024

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS no timber covers vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame	
Drwn:-		Chk: -		Date: -		Finish:	
Scale: 1:2@A4		Sheet 2 of 6		Revision: D		Die/Part:	
						Dwg No: HSF 2P22 SS T	

N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P22 SS T (D) - BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS.dwg

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
(A) FRAME AND JOINERY TIMBER	
F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
(G) JAMB FOAM	
F(DTS12.5-29)	FS473x33 foam seal


(H) JAMB PILES	
F(DTS12.5-29)	PBF48525 brush seal
(I) MEETING RAILS	
F(DTS12.5-29)	PB48625 brush seal





N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P22 SS T (D) - BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>				<div>Title: BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS no timber covers horizontal section B-B</div> <div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>			Material: in Timber Frame		
							Finish:		
							Die/Part:		
							Dwg No: HSF 2P22 SS T		
Rev	Description	Approved By	Date	Drwn:-	Chk: -	Date: -	Scale: 1:2@A4	Sheet 3 of 6	Revision: D
C	Upd. rollers, bottom rails, seals, lock, layout, seals	SB	Mar2013						
D	Update locks, layout	SE	Jun2024						



BAL Part Schedule

F(DTSxx) - Deemed-to-Satisfy
No BAL-40 Timber system available

A FRAME AND JOINERY TIMBER

F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber

B HEAD BASE & CENTRE HEAD PILES

F(DTS12.5-29)	PBF69425 brush seal
---------------	---------------------

C GLAZING

F(DTS12.5)	4mm (min.) Grade A Safety Glass (laminated or toughened) Outer Pane
F(DTS19-29)	5mm (min.) Toughened Glass Outer Pane

D SILL BASE & SILL INSERT PILES

F(DTS12.5-29)	PBF69375 brush seal
---------------	---------------------

E SILL BASE FLAP SEALS

F(DTS12.5-29)	3153 Santoprene flap seal
---------------	---------------------------

Rev	Description	Approved By	Date
C	Upd. rollers, bottom rails, seals, lock, layout, seals	SB	Mar2013
D	Update locks, layout	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS timber cover option 1 vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:- Chk: - Date: - Scale: 1:2@A4

Sheet 4 of 6

Revision: D



Material: in Timber Frame

Finish:

Die/Part:

Dwg No: HSF 2P22 SS T

N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P22 SS T (D) - BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS.dwg



BAL Part Schedule

F(DTSxx) - Deemed-to-Satisfy
No BAL-40 Timber system available

A FRAME AND JOINERY TIMBER

F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber

B HEAD BASE & CENTRE HEAD PILES

F(DTS12.5-29)	PBF69425 brush seal
---------------	---------------------

C GLAZING

F(DTS12.5)	4mm (min.) Grade A Safety Glass (laminated or toughened) Outer Pane
F(DTS19-29)	5mm (min.) Toughened Glass Outer Pane

D SILL BASE & SILL INSERT PILES

F(DTS12.5-29)	PBF69375 brush seal
---------------	---------------------

E SILL BASE FLAP SEALS

F(DTS12.5-29)	3153 Santoprene flap seal
---------------	---------------------------

Rev	Description	Approved By	Date
C	Upd. rollers, bottom rails, seals, lock, layout, seals	SB	Mar2013
D	Update locks, layout	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS timber cover option 2 vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:- Chk: - Date: - Scale: 1:2 A4 Sheet 5 of 6 Revision: D

Material: in Timber Frame



Finish:

Die/Part:

Dwg No: HSF 2P22 SS T

BAL Part Schedule	
F(DTSxx) - Deemed-to-Satisfy No BAL-40 Timber system available	
A FRAME AND JOINERY TIMBER	
F(DTS12.5-19)	timber density of 650 kg/m ³ or greater at a 12% moisture content
F(DTS29)	bushfire-resisting timber
G JAMB FOAM	
F(DTS12.5-29)	FS473x33 foam seal


H JAMB PILES	
F(DTS12.5-29)	PBF48525 brush seal
I MEETING RAILS	
F(DTS12.5-29)	PB48625 brush seal



N:\Documentation\Website Downloads\4. Special Applications\2. Bushfire\HSF 2P22 SS T (D) - BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>					<div>Title: BAL12.5 to 29 2 pane 22mm DOUBLE GLAZED sashless horizontal sliders in timber frames SS timber cover option 1 or 2 horizontal section B-B</div>				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>				Material: in Timber Frame	
	Rev		Description										Approved By Date	
	C	Upd. rollers, bottom rails, seals, lock, layout, seals			SB	Mar2013	Drwn:- Chk: - Date: - Scale: 1:2@A4				Die/Part:			
	D	Update locks, layout			SF	Jun2024					Sheet 6 of 6		Revision: D	
											Dwg No: HSF 2P22 SS T			