


# Table of Contents



Page	View	Cover Type	Sill Type
2	Vertical Section	Timber covers	Draughtstrip
3	Vertical Section	Timber covers	Draughtstrip x 2
4	Vertical Section	Timber covers	VS Sill
5	Vertical Section	Timber covers	VS HP Sill
6	Vertical Section	Timber covers	None
7	Horizontal Section	Timber covers	-
8	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip
9	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip x 2
10	Vertical Section	Aluminium covers outside, timber covers inside	VS Sill
11	Vertical Section	Aluminium covers outside, timber covers inside	VS HP Sill
12	Vertical Section	Aluminium covers outside, timber covers inside	None
13	Horizontal Section	Aluminium covers outside, timber covers inside	-
14	Vertical Section	Aluminium covers	Draughtstrip
15	Vertical Section	Aluminium covers	Draughtstrip x 2
16	Vertical Section	Aluminium covers	VS Sill
17	Vertical Section	Aluminium covers	VS HP Sill
18	Vertical Section	Aluminium covers	None
19	Horizontal Section	Aluminium covers	-

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber frames
	Drwn: UF   Chk: -   Date: Jan2010   Scale:						Finish: -
	Sheet 1 of 19				Revision: G		Die/Part: -
							Dwg No: VS 4P16C FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





glass height =  
 (opening + 190mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with timber covers and draughtstrips at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 190mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with timber covers and 2 x draughtstrips at sill vertical section A-A

Drwn: UF Chk: - Date: Jan2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 3 of 19 Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





glass height =  
 (opening + 182mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with timber covers and VS sill vertical section A-A  
 Drwn: UF Chk: - Date: Jan2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 4 of 19 Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





glass height =  
 (opening + 182mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.



Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with timber covers and VS HP sill vertical section A-A  
 Drwn: UF Chk: - Date: Jan2010 Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
 Sheet 5 of 19 Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 190mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with timber covers and no sill adaptor vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: - Date: Jan2010 Scale: 1:2@A4 Sheet 6 of 19 Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

timber cover outside (optional)

16mm combination tee

top pane

bottom pane


timber cover

lock

16mm multipane tee

jamb (by others)

FSuSdF (outside view)



outside

155  
frame depth min 160mm

inside

aneeta

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with timber covers  
horizontal section B-B  
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1eA4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
Sheet 7 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





glass height =  
 (opening + 190mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and draughtstrips at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 8 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 190mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and 2 x draughtstrips at sill vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: - Date: Jan2010 Scale: 1:2@A4 Sheet 9 of 19 Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height = (opening + 182mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and VS sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 10 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 182mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and VS HP sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 11 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 190mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and no sill adaptor vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 12 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

bottom pane


timber cover

lock

16mm multipane tee

jamb (by others)

FSuSdF  
(outside view)



outside

inside

135

frame depth min 140mm

aneeta

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside  
horizontal section B-B  
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1eA4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
Sheet 13 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers, and draughtstrips at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 14 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





glass height =  
 (opening + 190mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.



Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers, and 2 x draughtstrips at sill vertical section A-A  
 Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
 Sheet 15 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 182mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.



Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers, and VS sill vertical section A-A  
 Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
 Sheet 16 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 182mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers, and VS HP sill vertical section A-A  
 Drwn: UF Chk: - Date: Jan2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 17 of 19 Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 190mm) / 4  
 Note: top pane is a stepped unit  
 difference is 58mm - 70mm lap

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers, and no sill adaptor vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 18 of 19 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16C FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane

bottom pane


aluminium cover

lock

16mm multipane tee

jamb (by others)

FSuSdF  
(outside view)



outside

119,5mm

frame depth min 140mm

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF with aluminium covers

horizontal section B-B

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 19 of 19

Material: in Timber frames

Finish: -

Die/Part: -

Dwg No: VS 4P16C FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16C FSuSdF T (G) - 4 pane 16mm double glazed CLEARSTEP sashless vertical sliders in timber frames FSuSdF.dwg