




Table of Contents

Page	View	Cover Type	Sill Type
2	Vertical Section	Timber covers	Draughtstrip
3	Vertical Section	Timber covers	Draughtstrip x 2
4	Vertical Section	Timber covers	VS Sill
5	Vertical Section	Timber covers	VS HP Sill
6	Vertical Section	Timber covers	None
7	Vertical Section	Timber covers	Flapseal
8	Horizontal Section	Timber covers	-
9	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip
10	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip x 2
11	Vertical Section	Aluminium covers outside, timber covers inside	VS Sill
12	Vertical Section	Aluminium covers outside, timber covers inside	VS HP Sill
13	Vertical Section	Aluminium covers outside, timber covers inside	None
14	Vertical Section	Aluminium covers outside, timber covers inside	Flapseal
15	Horizontal Section	Aluminium covers outside, timber covers inside	-
16	Vertical Section	Aluminium covers	Draughtstrip
17	Vertical Section	Aluminium covers	Draughtstrip x 2
18	Vertical Section	Aluminium covers	VS Sill
19	Vertical Section	Aluminium covers	VS HP Sill
20	Vertical Section	Aluminium covers	None
21	Vertical Section	Aluminium covers	Flapseal
22	Horizontal Section	Aluminium covers	-

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane 10mm sashless double hung in timber frames				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Timber frame
	Drwn: UF	Chk:	Date: Jan 2010	Scale:		Sheet 1 of 22
						Finish:
						Die/Part:
						Dwg No: VS 2P10 SS T





$$\text{glass height} = (\text{opening} + 60\text{mm}) / 2$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane 10mm sashless double hung in timber frames with timber covers and draughtstrip at sill vertical section A-A

Drwn: UF | Chk: | Date: Jan 2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 22 | Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening} + 60\text{mm}) / 2$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane 10mm sashless double hung in timber frames with timber covers and 2 x draughtstrip at sill vertical section A-A
 Drwn: UF | Chk: | Date: Jan 2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
 Sheet 3 of 22 | Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING




$$\text{glass height} = (\text{opening} + 52\text{mm}) / 2$$

outside

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with timber covers and VS sill profile vertical section A-A



Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 4 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane 10mm sashless double hung in timber frames with timber covers and VS HP sill profile vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening} + 60\text{mm}) / 2$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane 10mm sashless double hung in timber frames with timber covers and no sill profile vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 6 of 22 Revision: F


Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential		Title: 2 pane 10mm sashless double hung in timber frames with timber covers and 10mm flapseal at sill vertical section A-A	
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		aneeta 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	
Drwn: UF	Chk:	Date: Jan 2010	Scale: 1:2@A4

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T
Sheet 7 of 22	Revision: F

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

10mm combination tee

timber cover outside (optional)

top pane


bottom pane

timber cover

lock

jamb (by others)

SS
(outside view)




outside

87.6

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		Title: 2 pane 10mm sashless double hung in timber frames with timber covers horizontal section B-B	
Drwn: UF	Chk:	Date: Jan 2010	Scale: 1:1eA4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

Sheet 8 of 22

Revision: F

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames
with aluminium covers outside, timber covers inside, and draughtstrip at sill
vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 9 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening} + 60\text{mm}) / 2$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with aluminium covers outside, timber covers inside, and 2 x draughtstrip at sill vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 10 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with aluminium covers outside, timber covers inside, and VS sill profile vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 11 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane 10mm sashless double hung in timber frames with aluminium covers outside, timber covers inside, and VS HP sill profile vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 12 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING




$$\text{glass height} = (\text{opening} + 60\text{mm}) / 2$$

outside

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with aluminium covers outside, timber covers inside, and no sill profile vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 13 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg



$$\text{glass height} = (\text{opening} + 65\text{mm}) / 2$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with aluminium covers outside, timber covers inside, and 10mm flapseal at sill vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 14 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

10mm combination tee

top pane


bottom pane

timber cover

lock

jamb (by others)

SS
(outside view)



outside

67.6

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames
with aluminium covers outside, timber covers inside
horizontal section B-B

Drwn: UF | Chk: | Date: Jan 2010 | Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 15 of 22



Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening} + 60\text{mm}) / 2$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with aluminium covers and draughtstrip at sill vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 16 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening} + 60\text{mm}) / 2$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane 10mm sashless double hung in timber frames with aluminium covers and 2 x draughtstrip at sill vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 17 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane 10mm sashless double hung in timber frames with aluminium covers and VS sill profile vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 18 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with aluminium covers and VS HP sill profile vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 19 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with aluminium covers and no sill profile vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 20 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening} + 65\text{mm}) / 2$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane 10mm sashless double hung in timber frames with aluminium covers and 10mm flapped seal at sill vertical section A-A

Drwn: UF Chk: Date: Jan 2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 21 of 22 Revision: F

Material:	in Timber frame
Finish:	
Die/Part:	
Dwg No:	VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

10mm combination tee

top pane


bottom pane

aluminium cover

lock

jamb (by others)

SS
(outside view)




outside

52

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	New template, delete continuous handle, add sill options	SE	May2024
D	Added new lock	SE	Sep2020
C	Update lock, sill, layout	RL	Jun2013
B	Update glass height formula, pulley heights	RL	Nov2010
A	Original Issue	UF	Jan2010



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane 10mm sashless double hung in timber frames with aluminium covers
horizontal section B-B
Drwn: UF | Chk: | Date: Jan 2010 | Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 22 of 22 | Revision: F

Material: in Timber frame
Finish:
Die/Part:
Dwg No: VS 2P10 SS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 2P10 SS T (F) - 2 pane 10mm sashless double hung in timber frames SS.dwg