


Table of Contents



Page	View	Cover Type	Sill Type
2	Vertical Section	Timber covers	Draughtstrip
3	Vertical Section	Timber covers	Draughtstrip x 2
4	Vertical Section	Timber covers	VS Sill
5	Vertical Section	Timber covers	VS HP Sill
6	Vertical Section	Timber covers	None
7	Vertical Section	Timber covers	Flapseal
8	Horizontal Section	Timber covers	-
9	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip
10	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip x 2
11	Vertical Section	Aluminium covers outside, timber covers inside	VS Sill
12	Vertical Section	Aluminium covers outside, timber covers inside	VS HP Sill
13	Vertical Section	Aluminium covers outside, timber covers inside	None
14	Vertical Section	Aluminium covers outside, timber covers inside	Flapseal
15	Horizontal Section	Aluminium covers outside, timber covers inside	-
16	Vertical Section	Aluminium covers	Draughtstrip
17	Vertical Section	Aluminium covers	Draughtstrip x 2
18	Vertical Section	Aluminium covers	VS Sill
19	Vertical Section	Aluminium covers	VS HP Sill
20	Vertical Section	Aluminium covers	None
21	Vertical Section	Aluminium covers	Flapseal
22	Horizontal Section	Aluminium covers	-

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Timber frames
						Finish: -
						Die/Part: -
						Dwg No: VS 4P16 FSuSdF T
Drwn: UF	Chk: -	Date: Jan2010	Scale: 1:2@A4	Sheet 1 of 22	Revision: G	



$$\text{glass height} = (\text{opening} + 12) / 4$$

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with timber covers and draughtstrips at sill vertical section A-A



Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with timber covers and 2 x draughtstrips at sill vertical section A-A

Drwn: UF Chk: - Date: Jan2010 Scale: 1:2@A4






949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 3 of 22 Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





aneeta opening size

$$\text{glass height} = (\text{opening} + 4) / 4$$

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with timber covers and VS sill vertical section A-A
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 4 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





$$\text{glass height} = (\text{opening} + 4) / 4$$

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with timber covers and VS HP sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with timber covers and no sill adaptor vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4






949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 6 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





$$\text{glass height} = (\text{opening} + 17) / 4$$

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with timber covers and 16mm flapseal at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 7 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size

flyscreen (optional by others)

timber cover outside (optional)

16mm combination tee

top pane

bottom pane

timber cover


lock

16mm multipane tee

jamb (by others)

FSuSdF

(outside view)



outside

inside

155mm
frame depth min 160mm

aneeta

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with timber covers
horizontal section B-B
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1eA4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 8 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and draughtstrips at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 9 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and 2 x draughtstrips at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 10 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and VS sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4






949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 11 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and VS HP sill
vertical section A-A
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 12 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and no sill adaptor
vertical section A-A
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 13 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside, and 16mm flapseal at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 14 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm


aneeta opening size



flyscreen (optional by others)

16mm combination tee

top pane



bottom pane


timber cover

lock

16mm multipane tee

jamb (by others)

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers outside, timber covers inside
horizontal section B-B
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 15 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T



$$\text{glass height} = (\text{opening} + 12) / 4$$

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers, and draughtstrips at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 16 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





$$\text{glass height} = (\text{opening} + 12) / 4$$

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers and 2 x draughtstrips at sill vertical section A-A

Drwn: UF Chk: - Date: Jan2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 17 of 22

Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



$$\text{glass height} = (\text{opening} + 4) / 4$$

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers and VS sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 18 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



aneeta opening size

$$\text{glass height} = (\text{opening} + 4) / 4$$

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers and VS HP sill vertical section A-A
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 19 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg



$$\text{glass height} = (\text{opening} + 12) / 4$$

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers and no sill adaptor vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 20 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers and 16mm flapseal at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 21 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 4P16 FSuSdF T (G) - 4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass width = opening - 40mm

aneeta opening size



flyscreen (optional by others)

16mm combination tee

top pane

bottom pane

aluminium cover

lock

16mm multipane tee

jamb (by others)

outside

inside

119.5mm

frame depth min 140mm

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Update glass formula and pulley height	UF	Nov2010
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout	SE	May2024
F	Add various sill options	SE	Jun2024
G	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
4 pane 16mm double glazed INTERLOCKING sashless vertical sliders in timber frames FSuSdF with aluminium covers
horizontal section B-B
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
Sheet 22 of 22 | Revision: G

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 4P16 FSuSdF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING