


# Table of Contents

Page	View	Box Type	Sill Type
2	Vertical Section	Large Box / Extra Large Box	Draughtstrip
3	Vertical Section	Large Box / Extra Large Box	Draughtstrip x 2
4	Vertical Section	Large Box / Extra Large Box	VS Sill
5	Vertical Section	Large Box / Extra Large Box	VS HP Sill
6	Vertical Section	Large Box / Extra Large Box	None
7	Vertical Section	Large Box / Extra Large Box	Flapseal
8	Horizontal Section	Large Box	-
9	Horizontal Section	Extra Large Box	-



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF</div>				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		Material: in Timber Frame
							Finish:
							Die/Part:
							Dwg No:
Drwn: SE	Chk: -	Date: Jun2024	Scale:	Sheet 1 of 9	Revision: F	VS 3P16 FSuF T	



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and draughtstrip at sill vertical section A-A

Drwn: SE   Chk: -   Date: Jun2024   Scale: 1:20A4

**aneeta**  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



**Material:**  
in Timber Frame

**Finish:**

**Die/Part:**

**Dwg No:**  
**VS 3P16 FSuF T**

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and 2 x draughtstrip at sill vertical section A-A

Drwn: SE   Chk: -   Date: Jun2024   Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


**Material:**  
in Timber Frame

**Finish:**

**Die/Part:**

**Dwg No:**  
**VS 3P16 FSuF T**


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg



outside		inside	
Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential		Title:		Material:	
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.		3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and VS sill vertical section A-A		in Timber Frame	
Drwn: SE		Chk: -		Finish:	
Date: Jun2024		Scale: 1:20A4		Die/Part:	
Sheet 4 of 9		Revision: F		Dwg No:	
				VS 3P16 FSuF T	

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and VS HP sill vertical section A-A

aneeta

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: SE   Chk: -   Date: Jun2024   Scale: 1:2A4   Sheet 5 of 9   Revision: F


Material: in Timber Frame

Finish:

Die/Part:

Dwg No: VS 3P16 FSuF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg




Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and no sill adaptor vertical section A-A


Drwn: SE	Chk: -	Date: Jun2024	Scale: 1:20A4
----------	--------	---------------	---------------

  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 6	of 9	Revision: F
---------	------	-------------

Material:	in Timber Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P16 FSuF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg




outside		inside	
Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and flapseal at sill vertical section A-A

  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material:  
in Timber Frame

Finish:

Die/Part:

Dwg No:  
VS 3P16 FSuF T

Drwn: SE

Chk: -

Date: Jun2024

Scale: 1:2A4

Sheet 7 of 9


Revision: F

IF IN DOUBT ASK -

DO NOT SCALE DRAWING

M:\Documents

pane sliding



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg

glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

lock

100 x 45mm box containing lead weight  
to counter balance moving pane of glass

jamb (by others)




outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF with large box horizontal section B-B			 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame
	Drwn: SE	Chk: -	Date: Jun2024	Scale: 1:1eA4	Sheet 8 of 9	Revision: F
						Finish:
						Die/Part:
						Dwg No: VS 3P16 FSuF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass width = opening - 192mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover


lock

101.6 x 76.2mm box containing lead weight  
to counter balance moving pane of glass

jamb (by others)



outside



inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF with extra large box

Drwn: SE Chk: - Date: Jun2024 Scale: 1:1 A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 9 of 9

Revision: F

Material:	in Timber Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P16 FSuF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16 FSuF T (F) - 3 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg