


# Table of Contents

Page	View	Box Type	Sill Type
2	Vertical Section	Medium Box	Draughtstrip
3	Vertical Section	Medium Box	Draughtstrip x 2
4	Vertical Section	Medium Box	VS Sill
5	Vertical Section	Medium Box	VS HP Sill
6	Vertical Section	Medium Box	None
7	Vertical Section	Medium Box	Flapseal
8	Horizontal Section	Medium Box	-
9	Vertical Section	Large Box	Draughtstrip
10	Vertical Section	Large Box	Draughtstrip x 2
11	Vertical Section	Large Box	VS Sill
12	Vertical Section	Large Box	VS HP Sill
13	Vertical Section	Large Box	None
14	Vertical Section	Large Box	Flapseal
15	Horizontal Section	Large Box	-
16	Vertical Section	Extra Large Box	Draughtstrip
17	Vertical Section	Extra Large Box	Draughtstrip x 2
18	Vertical Section	Extra Large Box	VS Sill
19	Vertical Section	Extra Large Box	VS HP Sill
20	Vertical Section	Extra Large Box	None
21	Vertical Section	Extra Large Box	Flapseal
22	Horizontal Section	Extra Large Box	-


Rev	Description	Approved
		By Date
A	Original Issue	UF Jan2010
B	Adjusted glass sizes	UF Nov2010
C	New lock, sill, pulley location, box sections, layout	RL Jun2013
D	Add various sill options	SE Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF Oct2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title:</p> <p>2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material:</p> <p>in Timber Frame</p>	
	<p>Drwn: UF</p>		<p>Chk: -</p>				<p>Finish:</p>	
	<p>Date: Jan 2010</p>		<p>Scale:</p>		<p>Die/Part:</p>			
	<p>Sheet 1 of 22</p>		<p>Revision: E</p>		<p>Dwg No: VS 2P16 SF T</p>			




IF IN DOUBT ASK - DO NOT SCALE DRAWING


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and draughtstrip at sill vertical section A-A</p>				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		<p>Material: in Timber Frame</p>	
							<p>Finish:</p>	
							<p>Die/Part:</p>	
							<p>Dwg No: VS 2P16 SF T</p>	
	Drwn: UF		Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 2 of 22	Revision: E	


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p><b>Title:</b> 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and 2 x draughtstrip at sill vertical section A-A</p>				<p> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>	<p><b>Material:</b> in Timber Frame</p>	
						<p><b>Finish:</b></p>	
						<p><b>Die/Part:</b></p>	
						<p><b>Dwg No:</b> VS 2P16 SF T</p>	
<p>Drwn: UF</p>		<p>Chk: -</p>	<p>Date: Jan 2010</p>	<p>Scale: 1:2@A4</p>	<p>Sheet 3 of 22</p>	<p>Revision: E</p>	

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and VS sill vertical section A-A

Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 4 of 22	Revision: E
----------	--------	----------------	---------------	---------------	-------------

**Material:**  
in Timber Frame

**Finish:**


**Die/Part:**

**Dwg No:** VS 2P16 SF T


**aneeta**

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024


<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<b>Title:</b> 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and VS HP sill vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		<b>Material:</b> in Timber Frame
					<b>Finish:</b>
					<b>Die/Part:</b>
	<b>Drwn:</b> UF <b>Chk:</b> - <b>Date:</b> Jan 2010 <b>Scale:</b> 1:2@A4		<b>Sheet</b> 5 <b>of</b> 22 <b>Revision:</b> E		<b>Dwg No:</b> VS 2P16 SF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and no sill adaptor vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material: in Timber Frame</p>	
							<p>Finish:</p>	
							<p>Die/Part:</p>	
							<p>Dwg No: VS 2P16 SF T</p>	
	Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 6 of 22	Revision: E		



IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and 16mm flapseal at sill vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 7 of 22	Revision: E
----------	--------	----------------	---------------	---------------	-------------

<b>Material:</b> in Timber Frame
<b>Finish:</b>
<b>Die/Part:</b>
<b>Dwg No:</b> VS 2P16 SF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

glass width = opening - 110mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

lock

80 x 35mm box containing lead weight  
to counter balance moving pane of glass

jamb (by others)



outside

80

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box horizontal section B-B

Drwn: UF Chk: - Date: Jan 2010 Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 8 of 22


Revision: E

Material: in Timber Frame

Finish:

Die/Part:


Dwg No: VS 2P16 SF T




IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg





M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and 2 x draughtstrip at sill vertical section A-A




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 10 of 22	Revision: E
----------	--------	----------------	---------------	----------------	-------------

Material:	in Timber Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16 SF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


**Title:**  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and VS sill vertical section A-A

Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 11 of 22	Revision: E
----------	--------	----------------	---------------	----------------	-------------

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

<b>Material:</b> in Timber Frame
<b>Finish:</b>
<b>Die/Part:</b>
<b>Dwg No:</b> VS 2P16 SF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and VS HP sill vertical section A-A

Drwn: UF

Chk: -

Date: Jan 2010

Scale: 1:2@A4

  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Material: in Timber Frame

Finish:


Die/Part:

Dwg No: VS 2P16 SF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and no sill adaptor vertical section A-A

Drwn: UF

Chk: -

Date: Jan 2010

Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Material: in Timber Frame

Finish:


Die/Part:

Dwg No: VS 2P16 SF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and 16mm flapseal at sill vertical section A-A

Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4
----------	--------	----------------	---------------

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

<b>Material:</b> in Timber Frame
<b>Finish:</b>
<b>Die/Part:</b>
<b>Dwg No:</b> VS 2P16 SF T

Sheet 14 of 22

Revision: E

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

lock

100 x 45mm box containing lead weight  
to counter balance moving pane of glass

jamb (by others)



outside

100

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: - Date: Jan 2010 Scale: 1:1eA4

Sheet 15 of 22

Revision: E

Material: in Timber Frame

Finish:


Die/Part:

Dwg No: VS 2P16 SF T



IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and draughtstrip at sill vertical section A-A


Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 16 of 22	Revision: E
----------	--------	----------------	---------------	----------------	-------------

**aneeta**  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

<b>Material:</b> in Timber Frame
<b>Finish:</b>
<b>Die/Part:</b>
<b>Dwg No:</b> VS 2P16 SF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg






Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and 2 x draughtstrip at sill vertical section A-A

  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF   Chk: -   Date: Jan 2010   Scale: 1:2@A4   Sheet 17 of 22   Revision: E


Material: in Timber Frame

Finish:

Die/Part:

Dwg No: VS 2P16 SF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and VS sill vertical section A-A

Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 18 of 22	Revision: E
----------	--------	----------------	---------------	----------------	-------------

**Material:**  
in Timber Frame

**Finish:**


**Die/Part:**

**Dwg No:** VS 2P16 SF T

**aneeta**

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and VS HP sill  
vertical section A-A

Drwn: UF

Chk: -

Date: Jan 2010

Scale: 1:2A4

  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Material:  
in Timber Frame

Finish:


Die/Part:

Dwg No: VS 2P16 SF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and no sill adaptor vertical section A-A

Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4
----------	--------	----------------	---------------


949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

<b>Material:</b> in Timber Frame
<b>Finish:</b>
<b>Die/Part:</b>
<b>Dwg No:</b> VS 2P16 SF T

Sheet 20 of 22

Revision: E

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

**Title:**  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and 16mm flapseal at sill vertical section A-A

Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4
----------	--------	----------------	---------------

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

<b>Material:</b> in Timber Frame
<b>Finish:</b>
<b>Die/Part:</b>
<b>Dwg No:</b> VS 2P16 SF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

glass width = opening - 192mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

lock

101.6 x 76.2mm box containing lead weight  
to counter balance moving pane of glass

jamb (by others)



outside

101.6

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: - Date: Jan 2010 Scale: 1:1 A4 Sheet 22 of 22

Revision: E

Material: in Timber Frame

Finish:

Die/Part:

Dwg No: VS 2P16 SF T



IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (E) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg