


Table of Contents

Page	View	Box Type	Sill Type
2	Vertical Section	Medium Box	Draughtstrip
3	Vertical Section	Medium Box	Draughtstrip x 2
4	Vertical Section	Medium Box	300 Pa Sill
5	Vertical Section	Medium Box	800 Pa Sill
6	Vertical Section	Medium Box	None
7	Vertical Section	Medium Box	Flapseal
8	Horizontal Section	Medium Box	-
9	Vertical Section	Large Box	Draughtstrip
10	Vertical Section	Large Box	Draughtstrip x 2
11	Vertical Section	Large Box	300 Pa Sill
12	Vertical Section	Large Box	800 Pa Sill
13	Vertical Section	Large Box	None
14	Vertical Section	Large Box	Flapseal
15	Horizontal Section	Large Box	-
16	Vertical Section	Extra Large Box	Draughtstrip
17	Vertical Section	Extra Large Box	Draughtstrip x 2
18	Vertical Section	Extra Large Box	300 Pa Sill
19	Vertical Section	Extra Large Box	800 Pa Sill
20	Vertical Section	Extra Large Box	None
21	Vertical Section	Extra Large Box	Flapseal
22	Horizontal Section	Extra Large Box	-


Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame
							Finish:
							Die/Part:
							Dwg No: VS 2P16 SF T
Drwn: UF	Chk: -	Date: Jan 2010	Scale:	Sheet 1 of 22	Revision: D		




IF IN DOUBT ASK - DO NOT SCALE DRAWING


N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024


Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and draughtstrip at sill vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame	
	Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 2 of 22	Revision: D
					Material:	Finish:
					Die/Part:	Dwg No: VS 2P16 SF T

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and 2 x draughtstrip at sill vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material: in Timber Frame</p>
							<p>Finish:</p>
							<p>Die/Part:</p>
							<p>Dwg No:</p>
							<p>VS 2P16 SF T</p>
<p>Drwn: UF</p>		<p>Chk: -</p>	<p>Date: Jan 2010</p>	<p>Scale: 1:2@A4</p>	<p>Sheet 3 of 22</p>	<p>Revision: D</p>	




IF IN DOUBT ASK - DO NOT SCALE DRAWING




N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024


Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and 300Pa sill adaptor vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame
	Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Finish: Die/Part: Dwg No: VS 2P16 SF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING




N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg


Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and 800Pa sill adaptor vertical section A-A				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Timber Frame
	Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 5 of 22	Revision: D Dwg No: VS 2P16 SF T


IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and no sill adaptor vertical section A-A</div>				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		Material: in Timber Frame
							Finish:
							Die/Part:
							Dwg No: VS 2P16 SF T
	Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 6 of 22	Revision: D	

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box and 16mm flapseal at sill vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material: in Timber Frame</p>
							<p>Finish:</p>
							<p>Die/Part:</p>
	<p>Drwn: UF Chk: - Date: Jan 2010 Scale: 1:2@A4 Sheet 7 of 22 Revision: D</p>						<p>Dwg No: VS 2P16 SF T</p>

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

glass width = opening - 110mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

lock

80 x 35mm box containing lead weight
to counter balance moving pane of glass

jamb (by others)



outside

80

inside

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with medium box horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: - Date: Jan 2010 Scale: 1:1@A4 Sheet 8 of 22 Revision: D


Material: in Timber Frame

Finish:

Die/Part:


Dwg No: VS 2P16 SF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING




N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and draughtstrip at sill vertical section A-A</p>				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		<p>Material: in Timber Frame</p>	
							<p>Finish:</p>	
							<p>Die/Part:</p>	
							<p>Dwg No: VS 2P16 SF T</p>	
	<p>Drwn: UF</p>	<p>Chk: -</p>	<p>Date: Jan 2010</p>	<p>Scale: 1:2@A4</p>	<p>Sheet 9 of 22</p>	<p>Revision: D</p>		




IF IN DOUBT ASK - DO NOT SCALE DRAWING




N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and 2 x draughtstrip at sill vertical section A-A</div> <div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>				Material: in Timber Frame	
					Finish:	
					Die/Part:	
					Dwg No: VS 2P16 SF T	
Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 10 of 22	Revision: D	




IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and 300Pa sill adaptor vertical section A-A


949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material:
in Timber Frame

Finish:

Die/Part:

Dwg No: VS 2P16 SF T

Drwn: UF

Chk: -


Date: Jan 2010

Scale: 1:2@A4


Sheet 11 of 22

Revision: D


N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and 800Pa sill adaptor vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Timber Frame	
	Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 12 of 22
				Revision: D	Dwg No: VS 2P16 SF T


N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and no sill adaptor vertical section A-A</div>				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		<div>Material: in Timber Frame</div>	
							<div>Finish:</div>	
							<div>Die/Part:</div>	
							<div>Dwg No: VS 2P16 SF T</div>	
Drwn: UF		Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 13 of 22		Revision: D	

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box and 16mm flapseal at sill vertical section A-A				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	Material: in Timber Frame
						Finish:
						Die/Part:
						Dwg No: VS 2P16 SF T
Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 14 of 22	Revision: D	

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

lock

100 x 45mm box containing lead weight
to counter balance moving pane of glass

jamb (by others)



outside

100

inside

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with large box horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: - Date: Jan 2010 Scale: 1:1@A4 Sheet 15 of 22 Revision: D


Material: in Timber Frame

Finish:

Die/Part:


Dwg No: VS 2P16 SF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING




N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024


<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and draughtstrip at sill vertical section A-A</div> <div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>				Material: in Timber Frame	
					Finish:	
					Die/Part:	
					Dwg No: VS 2P16 SF T	
					Revision: D	
Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 16 of 22	Revision: D	



IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and 2 x draughtstrip at sill vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame
	Drwn: UF		Chk: -		Finish:
	Date: Jan 2010		Scale: 1:2@A4		Die/Part:
	Sheet 17 of 22		Revision: D		Dwg No: VS 2P16 SF T


N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and 300Pa sill adaptor vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material: in Timber Frame</p>
							<p>Finish:</p>
							<p>Die/Part:</p>
							<p>Dwg No: VS 2P16 SF T</p>
	<p>Drwn: UF</p>	<p>Chk: -</p>	<p>Date: Jan 2010</p>	<p>Scale: 1:2@A4</p>	<p>Sheet 18 of 22</p>	<p>Revision: D</p>	


N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg




Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and 800Pa sill adaptor vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame
	Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Finish:
Sheet 19 of 22					Die/Part:
Revision: D					Dwg No: VS 2P16 SF T


N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024


<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and no sill adaptor vertical section A-A</p>				 <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material: in Timber Frame</p>	
							<p>Finish:</p>	
							<p>Die/Part:</p>	
							<p>Dwg No: VS 2P16 SF T</p>	
	Drwn: UF		Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 20 of 22	Revision: D	

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg



N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box and 16mm flapseal at sill vertical section A-A	 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Timber Frame	
			Finish:	
			Die/Part:	
			Dwg No: VS 2P16 SF T	
Drwn: UF	Chk: -	Date: Jan 2010	Scale: 1:2@A4	Sheet 21 of 22
Revision: D				



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 192mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

lock

101.6 x 76.2mm box containing lead weight
to counter balance moving pane of glass

jamb (by others)



outside

101.6

inside

N:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 2P16 SF T (D) - 2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF.dwg

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	Adjusted glass sizes	UF	Nov2010
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
D	Add various sill options	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed INTERLOCKING sashless vertical slider in timber frames (bottom pane fixed) SF with extra large box horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: UF Chk: - Date: Jan 2010 Scale: 1:1 A4 Sheet 22 of 22

Revision: D

Material: in Timber Frame

Finish:

Die/Part:

Dwg No: VS 2P16 SF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING