


Table of Contents

Page	View	Box Type	Sill Type
2	Vertical Section	Large Box / Extra Large Box	Draughtstrip
3	Vertical Section	Large Box / Extra Large Box	Draughtstrip x 2
4	Vertical Section	Large Box / Extra Large Box	VS Sill
5	Vertical Section	Large Box / Extra Large Box	VS HP Sill
6	Vertical Section	Large Box / Extra Large Box	None
7	Horizontal Section	Large Box	-
8	Horizontal Section	Extra Large Box	-



Rev	Description	Approved By	Date
G	Add description of Clearstep IGU makeup. Delete P008 and replace with P229 - VS Sill	DF	27/8/2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024
E	Add various sill options	SE	Jun2024
D	Update lock and extension pin	SE	Dec2020
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
B	Adjusted glass sizes	UF	Nov2010
A	Original Issue	UF	Jan2010

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	Title: 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		Material: in Timber Frame
							Finish:
							Die/Part:
							Dwg No:
							VS 3P16C FSuF T
Drwn: UF	Chk: -	Date: Jan2010	Scale:	Sheet 1 of 8	Revision: G		




IF IN DOUBT ASK - DO NOT SCALE DRAWING

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16C FSuF T (G) - 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg



glass height =
(opening + 120mm) / 3
Note: top & middle panes are
stepped units difference is
58mm - 70mm lap


Rev	Description	Approved By	Date
G	Add description of Clearstep IGU makeup. Delete P008 and replace with P229 - VS Sill	DF	27/8/2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024
E	Add various sill options	SE	Jun2024
D	Update lock and extension pin	SE	Dec2020
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
B	Adjusted glass sizes	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and draughtstrip at sill vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame
	Drwn: UF Chk: - Date: Jan2010 Scale: 1:20A4		Sheet 2 of 8		Finish:
	Date: Jan2010 Scale: 1:20A4		Revision: G		Die/Part:
					Dwg No: VS 3P16C FSuF T


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16C FSuF T (G) - 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved By	Date
G	Add description of Clearstep IGU makeup. Delete P008 and replace with P229 - VS Sill	DF	27/8/2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024
E	Add various sill options	SE	Jun2024
D	Update lock and extension pin	SE	Dec2020
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
B	Adjusted glass sizes	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and 2 x draughtstrip at sill vertical section A-A		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber Frame
	Drwn: UF		Date: Jan2010		Finish:
	Chk: -		Scale: 1:2@A4		Die/Part:
	Date: Jan2010		Sheet 3 of 8		Dwg No: VS 3P16C FSuF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16C FSuF T (G) - 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg





IF IN DOUBT ASK - DO NOT SCALE DRAWING




Rev	Description	Approved By	Date
G	Add description of Clearstep IGU makeup. Delete P008 and replace with P229 - VS Sill	DF	27/8/2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024
E	Add various sill options	SE	Jun2024
D	Update lock and extension pin	SE	Dec2020
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
B	Adjusted glass sizes	UF	Nov2010
A	Original Issue	UF	Jan2010

<p>Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title:</p> <p>3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and VS sill vertical section A-A</p>		<p>aneeta</p> <p>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</p>		<p>Material:</p> <p>in Timber Frame</p>
	<p>Drwn: UF</p>		<p>Sheet 4 of 8</p>		<p>Finish:</p>
	<p>Date: Jan2010</p>		<p>Revision: G</p>		<p>Die/Part:</p>
	<p>Scale: 1:20 A4</p>		<p>VS 3P16C FSuF T</p>		<p>Dwg No:</p>



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16C FSuF T (G) - 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg




Rev	Description	Approved By	Date
G	Add description of Clearstep IGU makeup. Delete P008 and replace with P229 - VS Sill	DF	27/8/2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024
E	Add various sill options	SE	Jun2024
D	Update lock and extension pin	SE	Dec2020
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
B	Adjusted glass sizes	UF	Nov2010
A	Original Issue	UF	Jan2010

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and VS HP sill vertical section A-A</div>				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>	<div>Material: in Timber Frame</div>	
						<div>Finish:</div>	
						<div>Die/Part:</div>	
						<div>Dwg No: VS 3P16C FSuF T</div>	
<div>Drwn: UF</div>		<div>Chk: -</div>	<div>Date: Jan2010</div>	<div>Scale: 1:20 A4</div>	<div>Sheet 5 of 8</div>	<div>Revision: G</div>	





Rev	Description	Approved By	Date
G	Add description of Clearstep IGU makeup. Delete P008 and replace with P229 - VS Sill	DF	27/8/2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024
E	Add various sill options	SE	Jun2024
D	Update lock and extension pin	SE	Dec2020
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
B	Adjusted glass sizes	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane sashless vertical slider in timber frames (middle pane sliding up) FSuF with large/ extra large box and no sill adaptor vertical section A-A				Material: in Timber Frame	
	 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729				Finish: Die/Part: Dwg No: VS 3P16C FSuF T	
Drwn: UF	Chk: -	Date: Jan2010	Scale: 1:20 A4	Sheet 6 of 8	Revision: G	

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16C FSuF T (G) - 3 pane sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

lock

100 x 45mm box containing lead weight
to counter balance moving pane of glass

jamb (by others)



outside

inside

Rev	Description	Approved By	Date
G	Add description of Clearstep IGU makeup. Delete P008 and replace with P229 - VS Sill	DF	27/8/2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024
E	Add various sill options	SE	Jun2024
D	Update lock and extension pin	SE	Dec2020
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
B	Adjusted glass sizes	UF	Nov2010
A	Original Issue	UF	Jan2010

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF with large box horizontal section B-B			
	Drwn: UF	Chk: -	Date: Jan2010	Scale: 1:1A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 7 of 8

Revision: G

Material:	in Timber Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P16C FSuF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16C FSuF T (G) - 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg

glass width = opening - 192mm

aneeta opening size

flyscreen (optional by others)

16mm combination tee

top pane



bottom pane

aluminium cover


lock

101.6 x 76.2mm box containing lead weight
to counter balance moving pane of glass


jamb (by others)



Rev	Description	Approved By	Date
G	Add description of Clearstep IGU makeup. Delete P008 and replace with P229 - VS Sill	DF	27/8/2025
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024
E	Add various sill options	SE	Jun2024
D	Update lock and extension pin	SE	Dec2020
C	New lock, sill, pulley location, box sections, layout	RL	Jun2013
B	Adjusted glass sizes	UF	Nov2010
A	Original Issue	UF	Jan2010

<div>Proprietary and confidential</div> <div>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</div>	<div>Title: 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF with extra large box horizontal section B-B</div>				<div> 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</div>		<div>Material: in Timber Frame</div>	
							<div>Finish:</div>	
							<div>Die/Part:</div>	
	<div>Drwn: UF Chk: - Date: Jan2010 Scale: 1:1@A4 Sheet 8 of 8 Revision: G</div>						<div>Dwg No: VS 3P16C FSuF T</div>	

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\2. Servery\VS 3P16C FSuF T (G) - 3 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in timber frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING