

# Table of Contents



Page	View	Box Type	Sill Type
2	Vertical Section	Medium Box / Large Box / Extra Large Box	VS Sill
3	Vertical Section	Medium Box / Large Box / Extra Large Box	VS HP Sill
4	Vertical Section	Medium Box / Large Box / Extra Large Box	None
5	Vertical Section	Medium Box / Large Box / Extra Large Box	Flapseal
6	Horizontal Section	Medium Box	-
7	Horizontal Section	Large Box	-
8	Horizontal Section	Extra Large Box	-

Rev	Description	Approved	
		By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Updated with new template	SE	Jan2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Jul2016



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Aluminium Frame
	Drwn:RM	Chk:	Date: Jul2016	Scale:		Sheet 1 of 8
						Die/Part:
						Dwg No: MS 3P6 FSS A



- Head (By Others)
- VS 6mm Head
- Pulley & Cord Arrangement
- 6mm Toughened or Laminated Glass  
For equal pane heights and 70mm overlaps:  
Glass Height = (Opening Height + 114mm) / 3
- 6mm Laseal
- Flyscreen (By Others)
- Standard Handle (Clear Acrylic)
- VS Sill
- Sill (By Others)

outside                      inside

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Updated with new template	SE	Jan2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS  
with medium box / large box / extra large box  
with VS sill & aluminium covers  
vertical section A-A

Drwn:RM    Chk:    Date: Jul2016    Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 8    Revision: E

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P6 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P6 FSS A (E) - 3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Head (By Others)

VS 6mm Head

Pulley & Cord Arrangement

6mm Toughened or Laminated Glass  
For equal pane heights and 70mm overlaps:

$$\text{Glass Height} = (\text{Opening Height} + 114\text{mm}) / 3$$


6mm Lapseal

Flyscreen (By Others)

Standard Handle (Clear Acrylic)

VS HP Sill

Sill (By Others)



Aneeta Opening Height

outside inside

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Updated with new template	SE	Jan2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 6mm Flomotion vertical sliding sery in aluminium frames FSS  
with medium box / large box / extra large box  
with VS HP sill & aluminium covers  
vertical section A-A


Drwn:RM Chk: Date: Jul2016 Scale: 1:2@A4

aneeta  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 3 of 8

Material: in Aluminium Frame  
Finish:  
Die/Part:  
Dwg No: MS 3P6 FSS A  
Revision: E

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P6 FSS A (E) - 3 pane 6mm Flomotion vertical sliding sery in aluminium frames FSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P6 FSS A (E) - 3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS.dwg

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Updated with new template	SE	Jan2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS  
with medium box / large box / extra large box with no sill adaptor & aluminium covers vertical section A-A


Drwn:RM    Chk:    Date: Jul2016    Scale: 1:2@A4



aneeta  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 4 of 8    Revision: E

Material: in Aluminium Frame  
Finish:  
Die/Part:  
Dwg No: MS 3P6 FSS A

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Head (By Others)

VS 6mm Head

Pulley & Cord Arrangement

6mm Toughened or Laminated Glass  
For equal pane heights and 70mm overlaps:  
Glass Height = (Opening Height + 127mm) / 3

6mm Laseal

Flyscreen (By Others)

6mm Flaseal

Sill (By Others)

Aneeta Opening Height

outside

inside

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flaseal	SE	Apr2024
C	Updated with new template	SE	Jan2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 6mm Flomotion vertical sliding sery in aluminium frames FSS  
with medium box / large box / extra large box with 6mm flaseal at sill & aluminium covers vertical section A-A

Drwn:RM    Chk:    Date: Jul2016    Scale: 1:2@A4


aneeta  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 8    Revision: E

Material: in Aluminium Frame  
Finish:  
Die/Part:  
Dwg No: MS 3P6 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P6 FSS A (E) - 3 pane 6mm Flomotion vertical sliding sery in aluminium frames FSS.dwg


IF IN DOUBT ASK - DO NOT SCALE DRAWING



Glass Width = Opening Width - 110mm

Aneeta Opening Width

FSS  
(outside view)




Flyscreen (By Others)

6mm Combination Tee

Top Pane

outside



32.8

34.1

80

Bottom Pane

Aluminium Cover

Lock

80 x 35 Box Containing Counterweight

Flush Filler (By Others)

Jamb (By Others)

inside

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Updated with new template	SE	Jan2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Jul2016

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS  
with medium box  
with aluminium covers  
horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:RM Chk: Date: Jul2016 Scale: 1:1@A4 Sheet 6 of 8 Revision: E

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P6 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P6 FSS A (E) - 3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING

Glass Width = Opening Width - 130mm

Aneeta Opening Width

FSS  
(outside view)




Flyscreen (By Others)

6mm Combination Tee

Top Pane

outside



Bottom Pane

Aluminium Cover

Lock

100 x 45 Box Containing Counterweight

Flush Filler (By Others)

Jamb (By Others)

inside

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Updated with new template	SE	Jan2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P6 FSS A (E) - 3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS  
with large box with aluminium covers horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Drwn:RM Chk: Date: Jul2016 Scale: 1:1eA4 Sheet 7 of 8 Revision: E

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P6 FSS A

Glass Width = Opening Width - 192mm

Aneeta Opening Width

FSS  
(outside view)




Flyscreen (By Others)

6mm Combination Tee

Top Pane

outside



32.8

34.1

101.6

Bottom Pane

inside

Aluminium Cover

Lock

101.6 x 76.2 Box Containing Counterweight


Flush Filler (By Others)

Jamb (By Others)

Rev	Description	Approved By	Date
E	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
D	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
C	Updated with new template	SE	Jan2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Jul2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P6 FSS A (E) - 3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 6mm Flomotion vertical sliding servery in aluminium frames FSS  
with extra large box with aluminium covers horizontal section B-B

Drwn:RM Chk: Date: Jul2016 Scale: 1:1eA4

aneeta  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 8 of 8

Material: in Aluminium Frame  
Finish:  
Die/Part:  
Dwg No: MS 3P6 FSS A  
Revision: E