

Table of Contents


Page	View	Box Type	Sill Type
2	Vertical Section	Medium Box / Large Box / Extra Large Box	VS Sill
3	Vertical Section	Medium Box / Large Box / Extra Large Box	VS HP Sill
4	Vertical Section	Medium Box / Large Box / Extra Large Box	None
5	Vertical Section	Medium Box / Large Box / Extra Large Box	Flapseal
6	Horizontal Section	Medium Box	-
7	Horizontal Section	Large Box	-
8	Horizontal Section	Extra Large Box	-

Rev	Description	Approved	
		By	Date
D	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
C	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Aug2016



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Aluminium Frame
	Drwn:RM	Chk:			Date: Aug2016
				Die/Part:	
				Dwg No: MS 3P10 FSS A	
		Sheet 1 of 8	Revision: D		



Head (By Others)

VS 10mm Head

Pulley & Cord Arrangement

10mm Toughened or Laminated Glass
For equal pane heights and 70mm overlaps:
Glass Height = (Opening Height + 114mm) / 3

10mm Lapseal


Flyscreen (By Others)

Standard Handle (Clear Acrylic)

VS Sill

Sill (By Others)

Aneeta Opening Height



outside inside

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
D	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
C	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Aug2016

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS
with medium box / large box / extra large box
with VS sill & aluminium covers
vertical section A-A




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:RM	Chk:	Date: Aug2016	Scale: 1:2@A4	Sheet 2 of 8	Revision: D
---------	------	---------------	---------------	--------------	-------------

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P10 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P10 FSS A (D) - 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Head (By Others)

VS 10mm Head

Pulley & Cord Arrangement

10mm Toughened or Laminated Glass
For equal pane heights and 70mm overlaps:
Glass Height = (Opening Height + 114mm) / 3


10mm Lapseal

Flyscreen (By Others)

Standard Handle (Clear Acrylic)

VS HP Sill

Sill (By Others)



Aneeta Opening Height

outside inside

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
D	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
C	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Aug2016

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS
with medium box / large box / extra large box
with VS HP sill & aluminium covers
vertical section A-A




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:RM Chk: Date: Aug2016 Scale: 1:2@A4 Sheet 3 of 8 Revision: D

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P10 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P10 FSS A (D) - 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Head (By Others)

VS 10mm Head

Pulley & Cord Arrangement

10mm Toughened or Laminated Glass
For equal pane heights and 70mm overlaps:


$$\text{Glass Height} = (\text{Opening Height} + 122\text{mm}) / 3$$

10mm Lapseal

Flyscreen (By Others)

Standard Handle (Clear Acrylic)

Sill (By Others)



Aneeta Opening Height

outside inside

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
D	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
C	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Aug2016

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS
with medium box / large box / extra large box
with no sill adaptor & aluminium covers
vertical section A-A





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:RM Chk: Date: Aug2016 Scale: 1:2@A4 Sheet 4 of 8 Revision: D

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P10 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P10 FSS A (D) - 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



10mm Toughened or Laminated Glass
For equal pane heights and 70mm overlaps:

$$\text{Glass Height} = (\text{Opening Height} + 127\text{mm}) / 3$$

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
D	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
C	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Aug2016

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS
 with medium box / large box / extra large box with 10mm flapseal at sill & aluminium covers vertical section A-A

Drwn:RM Chk: Date: Aug2016 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 8 Revision: D

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P10 FSS A


M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P10 FSS A (D) - 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

Glass Width = Opening Width - 110mm

Aneeta Opening Width

FSS (outside view)




Flyscreen (By Others)

6mm Combination Tee

Top Pane

outside



23.3

24.8

80

inside

Bottom Pane

Aluminium Cover

Lock

80 x 35 Box Containing Counterweight

Flush Filler (By Others)

Jamb (By Others)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
D	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
C	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Aug2016

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS
with medium box with aluminium covers
horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P10 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P10 FSS A (D) - 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING

Glass Width = Opening Width - 130mm

Aneeta Opening Width

FSS (outside view)




Flyscreen (By Others)

6mm Combination Tee

Top Pane

outside



inside

Bottom Pane

Aluminium Cover

Lock

100 x 45 Box Containing Counterweight

Flush Filler (By Others)

Jamb (By Others)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
D	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
C	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Aug2016

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS
with large box with aluminium covers horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:RM Chk: Date: Aug2016 Scale: 1:1eA4 Sheet 7 of 8 Revision: D

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P10 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P10 FSS A (D) - 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS.dwg




IF IN DOUBT ASK - DO NOT SCALE DRAWING

Glass Width = Opening Width - 192mm

Aneeta Opening Width

FSS (outside view)




Flyscreen (By Others)

6mm Combination Tee

Top Pane

outside



Bottom Pane

Aluminium Cover

Lock

101.6 x 76.2 Box Containing Counterweight

inside

Flush Filler (By Others)

Jamb (By Others)

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
D	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
C	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
B	Combined drawings and added new lock	SE	Jan2021
A	Original Issue	RM	Aug2016

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS
with extra large box with aluminium covers horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:RM Chk: Date: Aug2016 Scale: 1:1eA4 Sheet 8 of 8 Revision: D

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P10 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P10 FSS A (D) - 3 pane 10mm Flomotion vertical sliding servery in aluminium frames FSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING