


Table of Contents

Page	View	Box Type	Sill Type
2	Vertical Section	Large Box / Extra Large Box	VS Sill
3	Vertical Section	Large Box / Extra Large Box	VS HP Sill
4	Vertical Section	Large Box / Extra Large Box	None
5	Vertical Section	Large Box / Extra Large Box	Flapseal
6	Horizontal Section	Large Box	-
7	Horizontal Section	Extra Large Box	-

Rev	Description	Approved	
		By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
D	Combined drawings and added new lock	SE	Jan2021
C	-	RM	Aug2016
B	-	RM	Aug2016
A	Original Issue	RM	Aug2016

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS		 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Aluminium Frame				
	Drwn:RM	Chk:		Date: Aug2016	Scale:	Sheet 1 of 7	Revision: F	Finish:





- Head (By Others)
- VS 16mm Head
- Pulley & Cord Arrangement
- 16mm Meeting Rail
- Double glazed sealed units
(4/8/4, 4/6/6, 5/6/5)
Toughened glass preferable,
with optional gas fill i.e. argon)
For equal pane heights:

$$\text{Glass Height} = (\text{Opening Height} - 7\text{mm}) / 3$$
- Flyscreen (By Others)
- Standard Handle (Clear Acrylic)
- VS Sill
- Sill (By Others)

outside inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
D	Combined drawings and added new lock	SE	Jan2021
C	-	RM	Aug2016
B	-	RM	Aug2016
A	Original Issue	RM	Aug2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS with large box / extra large box with VS sill & aluminium covers vertical section A-A

Drwn:RM Chk: Date: Aug2016 Scale: 1:2@A4



 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 7 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P16 FSS A


M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P16 FSS A (F) - 3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



- Head (By Others)
- VS 16mm Head
- Pulley & Cord Arrangement
- 16mm Meeting Rail
- Double glazed sealed units
(4/8/4, 4/6/6, 5/6/5
Toughened glass preferable,
with optional gas fill i.e. argon)
For equal pane heights:

$$\text{Glass Height} = (\text{Opening Height} - 7\text{mm}) / 3$$
- Flyscreen (By Others)
- Standard Handle (Clear Acrylic)
- VS HP Sill
- Sill (By Others)



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
D	Combined drawings and added new lock	SE	Jan2021
C	-	RM	Aug2016
B	-	RM	Aug2016
A	Original Issue	RM	Aug2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS with large box / extra large box with VS HP sill & aluminium covers vertical section A-A

Drwn:RM Chk: Date: Aug2016 Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 3 of 7 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P16 FSS A


M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P16 FSS A (F) - 3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



- Head (By Others)
- VS 16mm Head
- Pulley & Cord Arrangement
- 16mm Meeting Rail
- Double glazed sealed units
(4/8/4, 4/6/6, 5/6/5)
Toughened glass preferable,
with optional gas fill i.e. argon)
For equal pane heights:

$$\text{Glass Height} = (\text{Opening Height} + 1\text{mm}) / 3$$
- Flyscreen (By Others)
- Standard Handle (Clear Acrylic)
- Sill (By Others)



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
D	Combined drawings and added new lock	SE	Jan2021
C	-	RM	Aug2016
B	-	RM	Aug2016
A	Original Issue	RM	Aug2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS with large box / extra large box with no sill adaptor & aluminium covers vertical section A-A

Drwn:RM Chk: Date: Aug2016 Scale: 1:2@A4


aneeta
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 4 of 7 Revision: F

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: MS 3P16 FSS A


M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P16 FSS A (F) - 3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



- Head (By Others)
- VS 16mm Head
- Pulley & Cord Arrangement
- 16mm Meeting Rail
- Double glazed sealed units
(4/8/4, 4/6/6, 5/6/5)
Toughened glass preferable,
with optional gas fill i.e. argon)
For equal pane heights:

Glass Height = (Opening Height + 6mm) / 3
- Flyscreen (By Others)
- Standard Handle (Clear Acrylic)
- 16mm Flapseal
- Sill (By Others)



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
D	Combined drawings and added new lock	SE	Jan2021
C	-	RM	Aug2016
B	-	RM	Aug2016
A	Original Issue	RM	Aug2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS with large box / extra large box with 16mm flapseal at sill & aluminium covers vertical section A-A

Drwn:RM Chk: Date: Aug2016 Scale: 1:2@A4

aneeta
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 7 Revision: F

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: MS 3P16 FSS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P16 FSS A (F) - 3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING


Glass Width = Opening Width - 130mm

Aneeta Opening Width

Flyscreen (By Others)

16mm Combination Tee

Top Pane



Bottom Pane

Aluminium Cover


Lock

100 x 45 Box Containing Counterweight

Flush Filler (By Others)

Jamb (By Others)

FSS (outside view)




outside

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
D	Combined drawings and added new lock	SE	Jan2021
C	-	RM	Aug2016
B	-	RM	Aug2016
A	Original Issue	RM	Aug2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P16 FSS A (F) - 3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding seryery in aluminium frames FSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding seryery in aluminium frames FSS with large box with aluminium covers horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:RM Chk: Date: Aug2016 Scale: 1:1eA4 Sheet 6 of 7 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P16 FSS A


Glass Width = Opening Width - 192mm

Aneeta Opening Width


Flyscreen (By Others)

16mm Combination Tee

Top Pane



FSS (outside view)



outside

inside

Bottom Pane

Aluminium Cover

Lock

101.6 x 76.2 Box Containing Counterweight


Flush Filler (By Others)

Jamb (By Others)

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa sill, no sill, flapseal	SE	Apr2024
D	Combined drawings and added new lock	SE	Jan2021
C	-	RM	Aug2016
B	-	RM	Aug2016
A	Original Issue	RM	Aug2016

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\4. Flomotion\MS 3P16 FSS A (F) - 3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane 16mm double glazed INTERLOCKING Flomotion vertical sliding servery in aluminium frames FSS with extra large box with aluminium covers horizontal section B-B



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn:RM Chk: Date: Aug2016 Scale: 1:1eA4 Sheet 7 of 7 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	MS 3P16 FSS A