

Table of Contents

Page	View	Box Type	Sill Type
2	Vertical Section	Medium Box	VS Sill
3	Vertical Section	Medium Box	VS HP Sill
4	Vertical Section	Medium Box	None
5	Horizontal Section	Medium Box	-
6	Vertical Section	Large Box / Extra Large Box	VS Sill
7	Vertical Section	Large Box / Extra Large Box	VS HP Sill
8	Vertical Section	Large Box / Extra Large Box	None
9	Horizontal Section	Large Box	-
10	Horizontal Section	Extra Large Box	-



Rev	Description	Approved	
		By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

<p style="text-align: center;">Proprietary and confidential</p> <p>The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.</p>	<p>Title: 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS</p>	 <small>949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729</small>	<p>Material: in Aluminium Frame</p> <p>Finish:</p> <p>Die/Part:</p> <p>Dwg No: VS 2P16C FS A</p>
Drwn:-	Chk:	Date: -	Scale:
Sheet 1 of 10		Revision: F	

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height = (opening + 42mm) / 2
 Note: top pane is a stepped unit, difference is 58mm, gives 70mm lap

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with medium box with aluminium covers, acrylic handle, VS sill vertical section A-A

Drwn:- Chk: Date: - Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 10 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16C FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with medium box with aluminium covers, acrylic handle, VS HP sill vertical section A-A

Drwn:- Chk: Date: - Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

aneeta

Sheet 3 of 10

Revision: F

Material: in Aluminium Frame



Finish:

Die/Part:

Dwg No: VS 2P16C FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height = (opening + 50mm) / 2
 Note: top pane is a stepped unit, difference is 58mm, gives 70mm lap

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with medium box with aluminium covers, acrylic handle, no sill adaptor vertical section A-A

Drwn:- Chk: Date: - Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 4 of 10 Revision: F


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16C FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 110mm


aneeta opening size



flyscreen (optional by others)

16mm combination tee

top pane



bottom pane

aluminium cover

lock

80 x 35mm box containing lead weight to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with medium box with aluminium covers horizontal section B-B



Drwn:- Chk: Date: - Scale: 1:1eA4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 10 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16C FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Aluminium Frames\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



aneeta opening size

glass height = (opening + 42mm) / 2
 Note: top pane is a stepped unit, difference is 58mm, gives 70mm lap

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with large box / extra large box with aluminium covers, acrylic handle, VS sill vertical section A-A

Drwn:- Chk: Date: - Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 6 of 10 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16C FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg


IF IN DOUBT ASK - DO NOT SCALE DRAWING



aneeta opening size

58

glass height = (opening + 42mm) / 2
 Note: top pane is a stepped unit,
 difference is 58mm, gives 70mm lap



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with large box / extra large box with aluminium covers, acrylic handle, VS HP sill vertical section A-A

Drwn:- Chk: Date: - Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 7 of 10 Revision: F


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16C FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types



Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with large box / extra large box with aluminium covers, acrylic handle, no sill adaptor vertical section A-A

Drwn:- Chk: Date: - Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 8 of 10 Revision: F


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16C FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 130mm


aneeta opening size




outside

inside

flyscreen (optional by others)
 16mm combination tee
 top pane



bottom pane
 aluminium cover
 lock
 100 x 45mm box containing lead weight
 to counter balance moving pane of glass
 flush filler (by others)
 jamb (by others)



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with large box with aluminium covers horizontal section B-B

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16C FS A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 192mm


aneeta opening size



flyscreen (optional by others)

10mm combination tee

top pane



bottom pane

aluminium cover

lock

101.6 x 76.2mm box containing lead weight to counter balance moving pane of glass

flush filler (by others)


jamb (by others)

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update locks and extension pins	SE	Dec2020
C	Update boxes, sill, locks, pulley heights, change layout	RL	Jun2013
B	-	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 2P16C FS A (F) - 2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
2 pane servery 16mm double glazed CLEARSTEP sashless vertical slider in aluminium frames (top pane fixed) FS with extra large box with aluminium covers horizontal section B-B

Drwn:- Chk: Date: - Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 10 of 10 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 2P16C FS A