


Table of Contents


Page	View	Box Type	Sill Type
2	Vertical Section	Medium Box	VS Sill
3	Vertical Section	Medium Box	VS HP Sill
4	Vertical Section	Medium Box	None
5	Vertical Section	Medium Box	Flapseal
6	Horizontal Section	Medium Box	-
7	Vertical Section	Large Box / Extra Large Box	VS Sill
8	Vertical Section	Large Box / Extra Large Box	VS HP Sill
9	Vertical Section	Large Box / Extra Large Box	None
10	Vertical Section	Large Box / Extra Large Box	Flapseal
11	Horizontal Section	Large Box	-
12	Horizontal Section	Extra Large Box	-

Rev	Description	Approved	
		By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010




IF IN DOUBT ASK - DO NOT SCALE DRAWING


Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material:	in Aluminium Frame
	Drwn:UF	Chk:	Date: Jan2010	Scale:		Sheet 1 of 12	Revision: F
						Die/Part:	
						Dwg No:	VS 3P10 FSuF A



A
FSuF
(outside view)



A
FSdF
Alternative Option



$$\text{glass height} = (\text{opening} + 114\text{mm}) / 3$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with medium box with VS sill & aluminium covers vertical section A-A




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: VS 3P10 FSuF A

Drwn:UF Chk: Date: Jan2010 Scale: 1:2@A4 Sheet 2 of 12 Revision: F




A
FSuF
(outside view)



A

FSdF
Alternative Option



$$\text{glass height} = (\text{opening} + 114\text{mm}) / 3$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with medium box with VS HP sill & aluminium covers vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame

Finish:

Die/Part:

Dwg No: VS 3P10 FSuF A

Drwn:UF



Chk:

Date: Jan2010

Scale: 1:2@A4

Sheet 3 of 12

Revision: F



$$\text{glass height} = (\text{opening} + 122\text{mm}) / 3$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with medium box with no sill adaptor & aluminium covers vertical section A-A

Drwn:UF Chk: Date: Jan2010 Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

aneeta

Sheet 4 of 12

Revision: F

Material: in Aluminium Frame

Finish:



Die/Part:

Dwg No: VS 3P10 FSuF A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





$$\text{glass height} = (\text{opening} + 127\text{mm}) / 3$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with medium box with 10mm flapseal at sill & aluminium covers vertical section A-A

Drwn:UF Chk: Date: Jan2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 12

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P10 FSuF A
Revision:	F

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 110mm

aneeta opening size

flyscreen (optional by others)

10mm combination tee

top pane

23.3

24.8

bottom pane

aluminium cover

lock



80 x 35mm box containing lead weight to counter balance moving pane of glass

flush filler (by others)

jamb (by others)

FSdF Alternative Option

FSuF (outside view)




outside

inside

10.8

10.8

80



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with medium box with aluminium covers
horizontal section B-B
Drwn:UF | Chk: | Date: Jan2010 | Scale: 1:1@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 6 of 12



Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P10 FSuF A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





$$\text{glass height} = (\text{opening} + 114\text{mm}) / 3$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.



Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with VS sill & aluminium covers
vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: VS 3P10 FSuF A

Drwn:UF Chk: Date: Jan2010 Scale: 1:2@A4 Sheet 7 of 12 Revision: F



$$\text{glass height} = (\text{opening} + 114\text{mm}) / 3$$

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.



Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with VS HP sill & aluminium covers
vertical section A-A



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: VS 3P10 FSuF A

Drwn:UF Chk: Date: Jan2010 Scale: 1:2@A4 Sheet 8 of 12 Revision: F



$$\text{glass height} = (\text{opening} + 122\text{mm}) / 3$$

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with no sill adaptor & aluminium covers
vertical section A-A
Drwn:UF Chk: Date: Jan2010 Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
aneeta
Sheet 9 of 12 Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P10 FSuF A

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





$$\text{glass height} = (\text{opening} + 127\text{mm}) / 3$$

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box / extra large box with 10mm flapseal at sill & aluminium covers vertical section A-A


Drwn:UF Chk: Date: Jan2010 Scale: 1:2@A4 Sheet 10 of 12



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Material: in Aluminium Frame
Finish:
Die/Part:
Dwg No: VS 3P10 FSuF A
Revision: F

IF IN DOUBT ASK - DO NOT SCALE DRAWING



M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg

glass width = opening - 130mm

aneeta opening size

flyscreen (optional by others)

10mm combination tee

top pane

bottom pane

aluminium cover

lock



100 x 45mm box containing lead weight to counter balance moving pane of glass

flush filler (by others)

jamb (by others)


FSdF Alternative Option

FSuF (outside view)



outside

inside



aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

Proprietary and confidential
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with large box with aluminium covers
horizontal section B-B
Drwn:UF Chk: Date: Jan2010 Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 11 of 12

Revision: F

Material:	in Aluminium Frame
Finish:	
Die/Part:	
Dwg No:	VS 3P10 FSuF A


M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING




glass width = opening - 192mm

aneeta opening size



flyscreen (optional by others)
 10mm combination tee
 top pane



bottom pane
 aluminium cover
 lock
 101.6 x 76.2mm box containing lead weight to counter balance moving pane of glass
 flush filler (by others)
 jamb (by others)


outside

inside

Rev	Description	Approved By	Date
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
E	Add sill options: 800Pa Sill, No Sill, 16mm Flapseal	SE	Apr2024
D	Update lock and extension pins	SE	Dec2020
C	Update boxes, sill, lock, pulley height, change layout	RM	Jun2013
B	Update head, pulley height, glass height formula	UF	Nov2010
A	Original issue	UF	Jan2010

aneeta insert is shown here in 100mm commercial framing but it suits a variety of residential and commercial frame types

M:\Documentation\Website Downloads\2. Aluminium Frames\1. Vertical\2. Servery\VS 3P10 FSuF A (F) - 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:
 3 pane servery 10mm sashless vertical slider in aluminium frames (middle pane sliding up) FSuF with extra large box with aluminium covers
 horizontal section B-B
 Drwn:UF Chk: Date: Jan2010 Scale: 1:1eA4

aneeta
 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729
 Sheet 12 of 12

Material: in Aluminium Frame
 Finish:
 Die/Part:
 Dwg No: VS 3P10 FSuF A
 Revision: F