

# Table of Contents



Page	View	Cover Type	Sill Type
2	Vertical Section	Timber covers	Draughtstrip
3	Vertical Section	Timber covers	Draughtstrip x 2
4	Vertical Section	Timber covers	VS Sill
5	Vertical Section	Timber covers	VS HP Sill
6	Vertical Section	Timber covers	None
7	Horizontal Section	Timber covers	-
8	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip
9	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip x 2
10	Vertical Section	Aluminium covers outside, timber covers inside	VS Sill
11	Vertical Section	Aluminium covers outside, timber covers inside	VS HP Sill
12	Vertical Section	Aluminium covers outside, timber covers inside	None
13	Horizontal Section	Aluminium covers outside, timber covers inside	-
14	Vertical Section	Aluminium covers	Draughtstrip
15	Vertical Section	Aluminium covers	Draughtstrip x 2
16	Vertical Section	Aluminium covers	VS Sill
17	Vertical Section	Aluminium covers	VS HP Sill
18	Vertical Section	Aluminium covers	None
19	Horizontal Section	Aluminium covers	-

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential  The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729		Material: in Timber frames
	Drwn: UF	Chk: -	Date: Jan2010	Scale:			Sheet 1 of 19
							Die/Part: -
							Dwg No: VS 3P16C SSF T



glass height =  
(opening + 120mm) / 3  
Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF with timber covers and draughtstrips at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 2 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSSF T
Revision:	F

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 120mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

aneeta opening size

10

58

min. head rebate  
55.2mm

min. sill rebate  
108.7mm

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF with timber covers and 2 x draughtstrips at sill vertical section A-A


Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 3 of 19 | Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSSF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 112mm) / 3  
 Note: top & middle panes are  
 stepped units difference is  
 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened  
 glass preferable, with optional  
 gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024


Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with timber covers and VS sill vertical section A-A  
 Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
 Sheet 4 of 19 | Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 112mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024


Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with timber covers and VS HP sill vertical section A-A  
 Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
 Sheet 5 of 19 | Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
(opening + 120mm) / 3  
Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF with timber covers and no sill adaptor vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 6 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSSF T


Revision: F

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size




flyscreen (optional by others)

16mm combination tee

timber cover

top pane



bottom pane

timber cover

16mm multipane tee

lock

jamb (by others)

outside

inside

128.7

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSS with timber covers  
horizontal section B-B  
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1eA4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
Sheet 7 of 19 | Revision: F

Material: in Timber frames  
Finish: -  
Die/Part: -  
Dwg No: VS 3P16C SSS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSS T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 120mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF with aluminium covers outside, timber covers inside, and draughtstrips at sill vertical section A-A

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSSF T

Drwn: UF	Chk: -	Date: Jan2010	Scale: 1:2@A4	Sheet 8 of 19	Revision: F
----------	--------	---------------	---------------	---------------	-------------

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 120mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF with aluminium covers outside, timber covers inside, and 2 x draughtstrips at sill vertical section A-A

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4 | Sheet 9 of 19 | Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSSF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 112mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with aluminium covers outside, timber covers inside, and VS sill  
 vertical section A-A  
 Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 10 of 19

Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with aluminium covers outside, timber covers inside, and VS HP sill vertical section A-A


Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 11 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 120mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with aluminium covers outside, timber covers inside, and no sill adaptor vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 12 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass width = opening - 40mm


aneeta opening size



flyscreen (optional by others)

16mm combination tee

top pane



bottom pane

timber cover

16mm multipane tee

lock

jamb (by others)

outside

inside

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.



Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with aluminium covers outside, timber covers inside  
horizontal section B-B  
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
Sheet 13 of 19 | Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T





glass height =  
 (opening + 120mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with aluminium covers, and draughtstrips at sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 14 of 19



Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF.dwg

IF IN DOUBT ASK - DO NOT SCALE DRAWING





glass height =  
 (opening + 120mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF with aluminium covers, and 2 x draughtstrips at sill vertical section A-A


Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 15 of 19 | Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSSF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
(opening + 112mm) / 3  
Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF with aluminium covers, and VS sill vertical section A-A

Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729



Sheet 16 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSSF T
Revision:	F

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 112mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.


Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with aluminium covers, and VS HP sill vertical section A-A  
 Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
 Sheet 17 of 19 | Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 120mm) / 3  
 Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

outside

inside

Rev	Description	Approved By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024


Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with aluminium covers, and no sill adaptor vertical section A-A  
 Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
 Sheet 18 of 19 | Revision: F

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C SSF T (F) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size



flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

16mm multipane tee

lock

jamb (by others)



outside

inside

Rev	Description	Approved	
		By	Date
A	Original Issue	UF	Jan2010
B	-	-	-
C	Update sill and lock	RL	Jun2013
D	Update lock and extension pin	SE	Dec2020
E	Update layout, add various sill options	SE	Jun2024
F	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Oct2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames SSF with aluminium covers  
horizontal section B-B  
Drwn: UF | Chk: - | Date: Jan2010 | Scale: 1:1@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
Sheet 19 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C SSF T
Revision:	F

