

# Table of Contents


Page	View	Cover Type	Sill Type
2	Vertical Section	Timber covers	Draughtstrip
3	Vertical Section	Timber covers	Draughtstrip x 2
4	Vertical Section	Timber covers	VS Sill
5	Vertical Section	Timber covers	VS HP Sill
6	Vertical Section	Timber covers	None
7	Horizontal Section	Timber covers	-
8	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip
9	Vertical Section	Aluminium covers outside, timber covers inside	Draughtstrip x 2
10	Vertical Section	Aluminium covers outside, timber covers inside	VS Sill
11	Vertical Section	Aluminium covers outside, timber covers inside	VS HP Sill
12	Vertical Section	Aluminium covers outside, timber covers inside	None
13	Horizontal Section	Aluminium covers outside, timber covers inside	-
14	Vertical Section	Aluminium covers	Draughtstrip
15	Vertical Section	Aluminium covers	Draughtstrip x 2
16	Vertical Section	Aluminium covers	VS Sill
17	Vertical Section	Aluminium covers	VS HP Sill
18	Vertical Section	Aluminium covers	None
19	Horizontal Section	Aluminium covers	-

Rev	Description	Approved	
		By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024



IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.	Title: 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS				 949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729	Material: in Timber frames
	Drwn: SE	Chk: -	Date: Jun2024	Scale:		Sheet 1 of 19
						Die/Part: -
						Dwg No: VS 3P16C FSS T



A

min. head rebate  
55.2mm

head (by others)

VS 16mm head

flyscreen (by others)

pulley and cord arrangement

16mm lapseal

16mm glass edge L cap

glass height =  
(opening + 120mm) / 3  
Note: top & middle panes are  
stepped units difference is  
58mm - 70mm lap

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened  
glass preferable, with optional  
gas fill i.e. argon)

standard handle (clear acrylic)

draughtstrip

16mm glass edge U cap

sill (by others)

min. sill rebate  
108.7mm

aneeta opening size

58

10

outside

inside

Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with timber covers and draughtstrips at sill vertical section A-A




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4 | Sheet 2 of 19 | Revision: B

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T





A  
A



glass height =  
(opening + 120mm) / 3  
Note: top & middle panes are stepped units difference is 58mm - 70mm lap

double glazed sealed units  
(4/8/4, 4/6/6, 5/6/5 toughened glass preferable, with optional gas fill i.e. argon)

Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with timber covers and 2 x draughtstrips at sill vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 3 of 19 | Revision: B

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C FSS T (B) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with timber covers and VS sill  
vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 4 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with timber covers and VS HP sill vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4





949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 5 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T
Revision:	B



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 120mm) / 3  
 Note: top & middle panes are  
 stepped units difference is  
 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5 toughened  
 glass preferable, with optional  
 gas fill i.e. argon)

Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with timber covers and no sill adaptor vertical section A-A


Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 6 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T


M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C FSS T (B) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS.dwg



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size




flyscreen (optional by others)

16mm combination tee

timber cover

top pane



bottom pane

timber cover

16mm multipane tee

lock

jamb (by others)

128.7

outside

inside

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C FSS T (B) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS.dwg

Rev	Description	Approved	
		By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

IF IN DOUBT ASK - DO NOT SCALE DRAWING




Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with timber covers  
horizontal section B-B  
Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:1eA4

aneeta  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729  
Sheet 7 of 19

Material: in Timber frames  
Finish: -  
Die/Part: -  
Dwg No: VS 3P16C FSS T  
Revision: B



Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers outside, timber covers inside, and draughtstrips at sill vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 8 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T
Revision:	B

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers outside, timber covers inside, and 2 x draughtstrips at sill vertical section A-A


**aneeta**  
949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4 | Sheet 9 of 19 | Revision: B

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T



IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass height =  
 (opening + 112mm) / 3  
 Note: top & middle panes are  
 stepped units difference is  
 58mm - 70mm lap

double glazed sealed units  
 (4/8/4, 4/6/6, 5/6/5) toughened  
 glass preferable, with optional  
 gas fill i.e. argon

Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers outside, timber covers inside, and VS sill  
 vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 10 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers outside, timber covers inside, and VS HP sill vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 11 of 19

Revision: B

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers outside, timber covers inside, and no sill adaptor vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4

**aneeta**

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 12 of 19


Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T

IF IN DOUBT ASK - DO NOT SCALE DRAWING



glass width = opening - 40mm

aneeta opening size



flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

timber cover

16mm multipane tee

lock

jamb (by others)



outside

inside

M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C FSS T (B) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS.dwg

Rev	Description	Approved	
		By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers outside, timber covers inside  
horizontal section B-B

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 13 of 19

Revision: B


Material: in Timber frames

Finish: -

Die/Part: -

Dwg No: VS 3P16C FSS T





Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers, and draughtstrips at sill vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 14 of 19 | Revision: B

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers, and 2 x draughtstrips at sill vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4

**aneeta**

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 15 of 19

Revision: B

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential  
 The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers, and VS sill vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4




949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 16 of 19

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T

IF IN DOUBT ASK - DO NOT SCALE DRAWING





Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential

The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers, and VS HP sill vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4

**aneeta**

949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729


Sheet 17 of 19

Revision: B

Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T



IF IN DOUBT ASK - DO NOT SCALE DRAWING



Rev	Description	Approved By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers, and no sill adaptor vertical section A-A

Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:2@A4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 18 of 19


Material:	in Timber frames
Finish:	-
Die/Part:	-
Dwg No:	VS 3P16C FSS T
Revision:	B



IF IN DOUBT ASK - DO NOT SCALE DRAWING

glass width = opening - 40mm

aneeta opening size



outside

inside

92.1

flyscreen (optional by others)

16mm combination tee

top pane


bottom pane

aluminium cover

16mm multipane tee

lock

jamb (by others)



M:\Documentation\Website Downloads\3. Timber Frames\1. Vertical\1. Double Hung\VS 3P16C FSS T (B) - 3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS.dwg

Rev	Description	Approved	
		By	Date
B	VS 300Pa/800Pa sill adaptor changed to VS Sill/VS HP Sill	DF	Sep2024
A	Original Issue	SE	Jun2024

IF IN DOUBT ASK - DO NOT SCALE DRAWING

Proprietary and confidential  
The information contained in this drawing is the sole property of Aneeta Australia. Any reproduction in part or as a whole, without the written permission of Aneeta Australia is prohibited.

Title:  
3 pane 16mm double glazed CLEARSTEP sashless double hung in timber frames FSS with aluminium covers,  
horizontal section B-B  
Drwn: SE | Chk: - | Date: Jun2024 | Scale: 1:1eA4



949 Stud Road, Rowville VIC 3178, ABN 80 062 883 729

Sheet 19 of 19

Material: in Timber frames  
Finish: -  
Die/Part: -  
Dwg No: VS 3P16C FSS T  
Revision: B